International Academic Institute for Science and Technology

International Academic Journal of Innovative Research
Vol. 12, No. 4, 2025, pp. 27-32.

ISSN 2454-390X

International Academic Journal of Innovative Research

www.iaiest.com

Multi-Objective Optimization in Genetic Algorithms

Dr. Nidhi Mishra [a], Aakansha Soy [b]

[a] *Assistant Professor, Kalinga University, Naya Raipur, Chhattisgarh, India.*
E-mail: ku.nidhimishra@kalingauniversity.ac.in, Orcid: https://orcid.org/0009-0001-9755-7950
[b] *Assistant Professor, Kalinga University, Naya Raipur, Chhattisgarh, India.*
E-mail: ku.aakanshasoy@kalingauniversity.ac.in, Orcid: https://orcid.org/0009-0002-1955-6909

Abstract

Genetic algorithms (GA) are a fascinating optimization technique designed to explore vast spaces, mimicking the way genetic material works in living organisms. Even a small group of individual examples can effectively navigate a large area because they carry schemata—these handy substructures that can be mixed and matched to create stronger individuals. Research into competing schemata reveals that the most effective way to replicate them is to boost their numbers exponentially based on their relative fitness. This is exactly the approach that genetic algorithms take. To determine fitness, a wide range of individual fitness cases is examined. This process can be quite efficient, especially if the fitness cases themselves evolve using their own genetic algorithms. In the first chapter of the Introduction to GA, various search methods are discussed in detail, including Hill Climbing and Simulated Annealing. The biological background of GAs is also covered broadly, touching on DNA structure, methodology, coding, and the types of parameters involved, all illustrated with a simple GA program. The book explores optimization methods, emphasizing two primary types: multi-objective optimization and single-objective optimization. There's a thorough discussion on both, showcasing the best search techniques for each type of optimization.

Keywords: Genetic Algorithms, Optimization Techniques, Exponentially, Genetic Material.

DOI:10.71086/IAJIR/V12I4/IAJIR1231
Received: 17 September, 2025/Revised: 24 October 2025/Accepted: 18 November 2025/Published: 30 December 2025

Introduction

Genetic algorithms (GAs) are fascinating methods used to tackle search problems through a process of exploration. They're often employed in optimization and learning scenarios. Consider GAs as a subfield of evolutionary computing, which takes its cues from the idea of "survival of the fittest." Essentially, we can generate multiple solutions to a problem, but only the best one gets to stick around. GAs come with a variety of extensions, such as Genetic Programming, LISP-like function trees, and Learning Classifier Systems, which evolve rules and much more. When we set out to solve a problem, we're on the hunt for a solution among many possibilities. Ideally, we want the best solution that truly addresses the issue at hand. To illustrate this, let's consider a classic example: trying to guess a computer password based on certain clues. Imagine the password is made up of lowercase letters from 'a' to 'z' and is eight characters long (Gaspar-Cunha & Covas, 2008). Given this information, how do we pinpoint the exact password? There are numerous approaches, but one method involves checking all possible combinations of the English alphabet, limited to eight characters. The collection of all these potential values is referred to as the search space, or state space. Every point in this search space in our password example denotes a potential answer. The worth or suitability of each of these workable ideas can be assessed to determine how well it addresses the issue.

Holland was the first to propose the basic principles of Genetic Algorithms (GA), which draw a lot of inspiration from the natural selection process. In this context, the "winners" are typically the stronger individuals competing in their environment. In essence, GA is a clear analogy of natural development. Genetic evolution techniques allow us to identify optimal solutions, which are symbolized by the ultimate victor of this genetic "game." Every person in this situation is a possible solution to an issue, and each person is defined by a set of characteristics. These parameters are organized as a string of binary numbers and are referred to as a chromosome's genes. The fitness value, which is frequently closely related to the objective value, is a measure of how well the chromosome solves the problem given any positive value. Since the beginning of genetic evolution, a well-fitting chromosome has tended to generate high-quality progeny, which results in superior solutions for the issue at hand. A population pool of chromosomes must be created for GA to be used in practice, and this can be done at random at first. There are some general rules, although the size of this group can vary depending on the problem. A new generation is produced from the chromosomes in the existing population throughout each cycle of genetic operations, which is frequently referred to as the evolving process. Only if a set of these chromosomes, referred to as parents, are chosen using a particular selection procedure will this cycle be successful. To create new children for the following generation, the genes from these parents are joined and recombined (Altiparmak et al., 2006). The "better" chromosomes are supposed to produce more offspring through this evolutionary process, boosting their chances of surviving in succeeding generations and simulating nature's survival-of-the-fittest mechanism.

Review of Literature

In the F4 and F5 rice generations, Rajeshwari and Nandarajan (2004) investigated the correlation coefficients for yield together with seven additional yield components, analysing the interactions between these features. They discovered that yield was positively and significantly correlated with every other characteristic except panicle exertion. In particular, characteristics such as the number of productive tillers per plant, the weight of 1000 grains, the length of the panicle, the number of grains per panicle, and the days until 50% blooming emerged as important factors to concentrate on in order to increase output (Gao et al., 2000).

In a different study, Sasalwad (2005) discovered a high positive correlation between the number of tillers, biomass, and single panicle weight and grain yield. It's interesting to note that there was a non-significant positive correlation between plant height and seed length. Effective tillers per plant, panicle weight, spikelets, and high-density grains per panicle all significantly increased grain yield per plant. Interestingly, Monalisa et al. (2006) found strong correlations between grain yield per plant and high-density grains per panicle and effective tillers per plant, as well as high positive direct effects.

Yue et al. (2006) used a recombinant inbred line population from a hybrid between a tropical Japonica upland cultivar and an Indica lowland cultivar to investigate the genetic underpinnings of drought avoidance and tolerance during the reproductive stage. These plants were grown separately in PVC pipes over two drought cycles (Madeira et al., 2005). The results showed little association between potential yield, plant size, and root features and relative yield attributes, suggesting that the genetic components for drought avoidance and tolerance are clearly distinct.

In order to investigate the relationship between grain yield and its constituent parts, Kiani and Nematzadeh (2012) studied fifty-four chosen rice genotypes at the F2 population stage. According to their research, grain yield was negatively correlated with non-filled grains per panicle, but it was significantly positively correlated with the

characteristics of panicles per plant and filled grains per panicle. They found that panicles per plant and full grains per panicle had a direct correlation with grain yield using route coefficient analysis, with direct impacts of 0.691 and 0.568, respectively.

Following root length and dry root weight, Hijam et al., (2012) found a substantial negative association between yield loss and root volume at both the genotypic and phenotypic levels. Root volume, fresh root weight, dry root weight, dry shoot weight, and the root-to-shoot ratio were all found to be significantly positively correlated. They also discovered a number of direct and indirect factors that contribute to the percentage of yield loss brought on by water stress. Interestingly, the yield loss % due to water stress was most significantly impacted by dry root weight, followed by fresh root weight. They concluded that yield loss from water stress could potentially be mitigated by manipulating root characteristics when developing rice lines that are tolerant to water stress.

Several mapping studies that utilized molecular markers have played a crucial role in identifying the genes or quantitative trait loci (QTL) that influence root morphological traits water use efficiency and blast resistance. One effective strategy for achieving multiple and long-lasting resistance is gene pyramiding. However, combining various genes and tracking their presence can be quite challenging with traditional methods due to their epistatic interactions and the tendency for one gene's effects to mask those of another (Deb, 2011). In rice, the application of DNA marker-assisted gene pyramiding has proven successful in integrating multiple genes for disease resistance, such as against bacterial blight. On the other hand, the pyramiding of QTLs that control complex traits like drought tolerance has been less frequently explored and utilized.

Materials and Methods

The axial flow compressor is crucial for generating high power in both aircraft and industrial applications. In his research, C.C. Koch examined General Electric's low-speed research compressor, which features four identical stages (Fig. 1).




Fig. 1: Genetic Operators

In various power generation settings, Siemens compressors are favoured for their impressive efficiency, which ranges from 88 to 92 percent. To achieve high power output, it's essential to have high-pressure ratios at the compressor's exit. These pressure ratios can be attained by designing the compressor with multiple stages. In fact, using multiple stages can create pressure ratios as high as 40:1 in certain aerospace applications and around 30:1 in some industrial contexts (Tamaki et al., 1996). The overall pressure ratio at the end of a multi-stage compressor is influenced by the pressure at the inlet stage, as this initial pressure affects the ratios generated in the following stages. Performance metrics and the mass flow rate of the working fluid entering the compressor influence the inlet stage pressure ratio. Performance metrics like centrifugal stresses, inlet stage specific area, stall margin coefficient, and stage efficiency

are taken into account in this analysis. We may structure objective functions and constraints as a multi-objective optimization problem by looking at these parameters. The multi-goal problem is then reduced to a single objective by employing the weighting method. We apply the Nelder-Mead Simplex approach with the Genetic Algorithm to solve both confined and unconstrained single objective problems (Konak et al., 2006).

Results and Discussion

The degree to which the limitation affects a particular objective function determines the value that is given to that function. For example, the centrifugal stress constraint has a considerable effect on the stall margin coefficient and the specific area of the inlet stage. Therefore, in order to account for the constraint, we provide a high penalty value to these objective functions. As a result, the restricted and unconstrained values of the stall margin coefficient and specific area of the inlet stage differ noticeably (Deb, 1999).




Fig. 2: Variation of Stage Efficiency Against No of Generations




Fig. 3: Variation of Un Constrained Transformed Objective Function Against Number of Generations for Set-1 Weighing Coefficients




Fig. 4: Sensitivity of Transformed Objective Function and the Objective Function Inlet Stage Specific Area to Variations In Mean Diameter of the Stage

A multi-objective optimization challenge is used to optimize the input stage of the axial flow compressor. With centrifugal stress as a restriction, we concentrate on important performance metrics including stage efficiency, the specific area of the inlet stage, and the stall margin coefficient as our goal functions. The sensitivity of the stall margin coefficient is affected by variations in the air inlet angle, as shown in Fig. 2-4. The graphic makes it evident that the stall margin coefficient grows from 0.95 to 1.26 when the air inlet angle to the rotor increases from 0 to 9π radians. This increase in the air inlet angle raises the stall margin coefficient and lessens stagnation pressure loss.

The figure also indicates that when it comes to multi-objective optimization, Taguchi's method can be effectively combined with the Utility concept (Deb, 1999). Additionally, this thesis outlines how Taguchi's optimization method can be applied in the service industry, particularly in analysing and quantifying the factors that contribute to the success of retail outlets. This demonstrates that the Taguchi method isn't just for manufacturing; it can also be successfully utilized in other sectors, like retail.

Conclusion

Quality should be an integral part of product design. The principles of Taguchi methods play a significant role in helping us choose the best product and process parameters, making this goal much easier to achieve. Taguchi's off-line quality control is recognized as an effective strategy for quickly producing high-quality products without breaking the bank. This research highlights and clarifies the foundational framework for improving quality and enhancing process robustness. The main aim here is to develop a design that can withstand uncontrollable factors while also hitting the desired target value with minimal variability. Performance metrics like the signal-to-noise ratio have been utilized in this context. Cost is a crucial factor in the Taguchi approach, focusing on achieving the best design at the lowest possible expense. Taguchi's contributions to the evolution and implementation of quality engineering concepts have been vital and continue to be essential for quality enhancement. This research presents a structured method for conducting industrial experiments in both manufacturing and service sectors, all based on Taguchi's optimization techniques. By applying Taguchi's methods, we can significantly reduce process and product variation, minimize defects, and achieve top-notch quality products with fewer experimental runs and lower costs.

References

Gaspar-Cunha, A., & Covas, J. A. (2008). Robustness in multi-objective optimization using evolutionary algorithms. *Computational optimization and applications*, *39*, 75-96. https://doi.org/10.1007/s10589-007-9053-9

Altiparmak, F., Gen, M., Lin, L., & Paksoy, T. (2006). A genetic algorithm approach for multi-objective optimization of supply chain networks. *Computers & industrial engineering*, *51*(1), 196-215. https://doi.org/10.1016/j.cie.2006.07.011

Gao, Y., Shi, L., & Yao, P. (2000, June). Study on multi-objective genetic algorithm. In *Proceedings of the 3rd World Congress on Intelligent Control and Automation (Cat. No. 00EX393)* (Vol. 1, pp. 646-650). IEEE. https://doi.org/10.1109/WCICA.2000.860052

Madeira, J. A., Rodrigues, H., & Pina, H. (2005). Multi-objective optimization of structures topology by genetic algorithms. *Advances in Engineering Software*, *36*(1), 21-28. https://doi.org/10.1016/j.advengsoft.2003.07.001

Deb, K. (2011). Multi-objective optimisation using evolutionary algorithms: an introduction. In *multi-objective evolutionary optimisation for product design and manufacturing* (pp. 3-34). London: Springer London. https://doi.org/10.1007/978-0-85729-652-8_1

Tamaki, H., Kita, H., & Kobayashi, S. (1996, May). Multi-objective optimization by genetic algorithms: A review. In *Proceedings of IEEE international conference on evolutionary computation* (pp. 517-522). IEEE. https://doi.org/10.1109/ICEC.1996.542653

Konak, A., Coit, D. W., & Smith, A. E. (2006). Multi-objective optimization using genetic algorithms: A tutorial. *Reliability engineering & system safety*, *91*(9), 992-1007. https://doi.org/10.1016/j.ress.2005.11.018

Deb, K. (1999). Multi-objective genetic algorithms: Problem difficulties and construction of test problems. *Evolutionary computation*, *7*(3), 205-230. https://doi.org/10.1162/evco.1999.7.3.205