International Academic Institute for Science and Technology

International Academic Journal of Innovative Research
Vol. 7, No. 1, 2020, pp. 6-10.

ISSN 2454-390X

International Academic Journal of Innovative Research

www.iaiest.com

Augmented Reality Experiences for Social Platforms: Trends and Challenges

Dr. Elias Bourke [a], Camille Ortega [b]

[a] *University of Sydney, Australia.*
[b] *Professor, University of Sydney, Australia.*

Abstract

Technology such as Augmented Reality (AR) is no longer considered a novelty, but rather an integrated part of our daily interactions within social media platforms. This study seeks to learn about the role of AR in changing the user's experiences in the social network spaces through spatial immersion and interaction. Its goal is to look at the ways AR has been integrated into social media, the trends and architectures, as well as the problems associated with its implementation. A systematic literature review conducted between 2000 and 2021 showcased the progression of AR technologies and their application within the domains of computing and social media. The methodology advocates for the analysis of multimodal user inputs including but not limited to location, gestures, facial movements, and other real-time data to give customized experiences via an interaction framework driven by AR. In comparison to other content delivery methods, AR proved to be a much more effective means of increasing user satisfaction and retention, as well as engagement with the platform. Performance evaluation through prototype testing and benchmarking showed marked improvements concerning user immersion and interactivity. Despite these findings, issues around privacy, scalability, user control, and hardware remained unsolved. The study proposed new frameworks that include federated learning architectures aimed at enhancing privacy without restricting personalization and low-performance AR devices for further research and development. This paper helps in comprehending the role of AR in social interactions and provides insights for further developments in the field.

Keywords: Augmented Reality, Social Media Platforms, Interaction, Engagement, Multimodal Data, Personalization, UX Design, HCI.

Received: 03 September 2020/Revised: 16 October 2020/Accepted: 23 November 2020/Published: 31 December 2020

Introduction

Digital innovation has always transformed the way people communicate with one another. In one way or another, these advancements create new channels for connection and offer various means of engagement. Once marketed as a novelty, Augmented Reality (AR) now sits at the intersection of the most groundbreaking technologies anticipated to alter society significantly. In the past, AR seemed to be restricted to the realm of fiction and experimental laboratories, but it is now considered dominantly a transformative technology that alters the ease of human-computer interaction (HCI). The past few years have seen rapid integration of AR with social platforms which has been facilitated by advances in technology, an increase in the processing capabilities of consumer electronics, and higher user expectations for content immersion.

Applications such as Instagram, Snapchat, TikTok, and Facebook have quickly embraced the use of AR-based filters and lenses, allowing users to change their appearance or surroundings in real time. These experiences foster a new form of self-expression that is more engaging and encouraging of creativity than previously available methods. While Virtual Reality (VR) usually isolates the user from the environment, AR surrounds the user with a digital world while still permitting interaction with the real world. This combination of both realities makes AR fit for enhancing social experiences because presence, context, and identity are fundamental in social dynamics.

From scrolling and viewing, user experience (UX) on social platforms has evolved to content engagement and interaction. With gesture, facial expression, speech, and gaze recognition, AR makes this shift happen faster. Communication expands because no longer are users limited to text and images, but instead, the real-time alteration of the environment serves to express emotions, context, and narratives that need more elaborate visual aids. Moreover, users spend more time interacting with features that are tailored and immersive, thus social content in AR increases engagement levels.

Nevertheless, the incorporation of AR into social platforms poses its own problems. Collectively, real-time rendering, object recognition, spatial mapping, and cross-system integration pose numerous technological challenges. From a sociological perspective, the combination of public and private spheres raises new risks regarding oversight, consent, and ethics in digitally mediated environments. In addition, the use of sensors and data gathering tools to provide functionality in AR environments poses significant threats to privacy, data abuse, and algorithmic apathy.

Moreover, the design and deployment of AR in social contexts is influenced by broader social computing phenomena, such as edge computing, AI incorporation, and networked systems. The creation of augmented reality content is typically done by machine learning algorithms based on the observation of users to identify behavioral patterns. While this customization may enhance interactions, it comes with dangers concerning participatory filter bubbles, cognitive distortions concerning self-esteem and body image, particularly skirted among younger audiences.

The aim of this study is to assess current social technologies based on augmented reality (AR) and forecast possible future developments. It focuses on both the systems architecture and the principles of design meant for users that make successful AR parts to work integration possible. In doing so, it captures the duality of AR in its role as a form of technical advancement and social enhancement by reframing the self, content interfaces, and human relations in the virtual world. Using empirical methods of analysis, the study articulates the challenges and the friction of augmented social interaction and provides strategies to avoid those conflicts via a scalable social responsibility framework for user-empowered AR systems.

Literature Review

The intersection of social computing and augmented reality finds validation in multidisciplinary research within HCI, computer vision, mobile computing, and interaction design. Early works, including (Azuma's, 2001), offered a definition that frames the boundary of research AR as systems that merge real and virtual worlds, interact in real-time, and register spatial information in 3D. Those principles continue to influence contemporary coping strategies for implementation on mobile devices and wearables. The evolution of computer vision technology in the mid-2000s (Billinghurst et al., 2002) facilitated more reliable tracking of AR, paving the way for computer user interfaces to respond to recognition of faces, gestures, and other aspects of the user's environment. This made it possible to develop more interactive and exciting applications for AR technology in communication and entertainment. Later, the advent of smartphones with high-quality cameras, GPS, and powerful processors shifted the scope of AR technology and its accessibility, including its use in social media.

Bimber & Raskar, (2005) highlighted the need for real-time data processing in AR with regard to latency reduction for smoother interaction, which became critical with the introduction of social media AR filters and effects that needed

immediate response feedback. These core concepts can be observed in Snapchat's Lens Studio and Instagram's Spark AR, both commercial offerings.

Research concerning AR's psychological impacts emerged post-2010. In 2012, (Dünser et al., 2012) colleagues underscored the importance of emotional investment and satisfaction related to immersion and presence. With social interactions, AR gave rise to new forms of trust, identity, and authenticity issues. Other researchers, like Grubert et al. (2016) looked at the self-perception changes regarding other people's perceptions are brought about, and their findings were that AR, depending on the context and users' demographic features, has both disempowering and liberating outcomes.

The amalgamation of AI and data analysis with AR technology has greatly enhanced the capabilities of AR. Lee et al., (2017), for instance, studied how contextual and behavioral factors could more deeply tailor AR content to the user level, increasing relevance while deepening data privacy concerns. At the same time, Norouzi et al. (2018) investigated speech, touch, and gesture as more advanced modes of interaction with AR, looking at multimodal interfaces. These multimodal systems offered more than basic communicative social interaction as a platform for social experience.

More recently, studied the applications of AR technology in relation to parasocial interactions whereby users develop emotional attachments to avatars or personas situated within their surroundings. This phenomenon is crucial for influencer marketing and brand interactions with users on AR platforms. In turn, more recently some researchers like Sra et al., (2020) have argued for the ethical responsible user-created boundaries of control within AR systems design.

Even with these achievements, concerns are still evident. Cummings and Bailenson (2020) offer a word of caution with respect to cognitive overload in AR environments; they remark that the addition of augmentations that are poorly designed, or in excess, can decrease usability and induce discomfort. Other researchers such as Huang et al. (2021) focus on accessibility and address the need for lightweight AR solutions meant for lower-end hardware and more challenging network conditions.

This type of cross-section literature analysis puts emphasis on the social aspects of AR's integration in social platforms. The socio-psychological factors that shape the use of technology as well as the advancements in engineering technology to make it easier at the social interface levels are provided. With these developments, there is a need for interdisciplinary study in the matured stage of this field to create AR experiences that are technically sound, ethically considerate, and at the same time widely accessible.

Methodology

The construction of an AR-infused experience enhancement system for social media begins with a focus on multimodal data processing, real-time user rendering, and user-centric design. The system is composed of three core modules: data collection, augmentation engine, and interaction interface. User data is acquired through many channels such as a camera for facial and gesture recognition, microphone for voice command input, GPS for situational context, and behavioral analytics from application usage patterns. These data streams are processed with lightweight deep learning models that perform classification and tracking so that responsive AR overlays can be enabled.

To improve seamless operation across different hardware configurations, edge computing is incorporated into the architecture. AR effects are rendered on-device for real-time performance, while more computationally intensive tasks like personalization models and content optimization are processed on edge servers. The system not only has lower latency, but increased privacy since raw data does not have to be sent over networks. The augmentation engine employs a in-situ markerless and marker-based tracking technique. Marker-based tracking utilizes overlays triggering patterns initiated by specific stimuli, whereas markerless tracking allows environmental mapping and freeform interaction.

The interface layer is constructed with Unity3D and the ARKit/ARCore SDKs for working on different systems. UI elements are built around touch and gesture interactions, along with voice feedback and adjustable text sizing for accessibility. Customization is accomplished through a hybrid recommender system that considers user-defined personalization as well as behavioral clues. Collaborative filtering is applied to recommend AR effects based on a user's social network and interactions, while content-based filtering adds relevance based on the previously used filters, how often they are used, and user engagement levels.

A security and ethical concern is approached from a consent-driven design perspective. Users are required to opt in before any multimodal data collection is initiated and are provided clear prompts detailing the data's usage, processing methods, and potential withdrawal options. Personalization algorithms are updated using federated learning models

which do not centralize sensitive user data. Each user's device trains local models which keeps inter-device communication to model updates only, thus maintaining privacy.

The system also features a feedback mechanism allowing users to rate AR effects, malfunction, or experience discomfort. These contributions are useful in adjusting the system's tuning level of responsiveness and relevance. Moreover, adaptive rendering algorithms are applied for optimization on devices with different levels of graphical power. This delivers uniform experience while avoiding strain on system resources or excessive battery drain.

Evaluation and testing are done by observational user studies with controlled 200 users from different age groups as well as devices. Users interact with a prototype of a social application with AR lenses, avatars, and environmental lenses overlays. Data on latency, frame rate, crash rate, and user satisfaction are captured and aggregated for deep analysis. The outcome from this assessment guides model optimization, interface design, and feature addition and enables ongoing planned enhancement cycles in the design process.

This approach achieves a user-friendly system while maintaining a high AR interaction. It describe the design of AR systems that integrate the concepts of rich social interaction experiences while configuring them to be scalable, honor privacy, and be considerate for all users regardless of demographic.

Results and Discussion

Evaluation of the proposed AR system was done using a prototype social application, which was subjected to testing by 200 users from different demographic areas. The testing metrics emphasized the effectiveness of system responsiveness, user satisfaction, personalization accuracy, and competitively evaluated the system against other AR systems such as Instagram's Spark AR and Snapchat's Lens Studio. Generally, the system has an average latency of 38 milliseconds on effect rendering, which is quite favorable for interaction in real time.

The measurement for user satisfaction was conducted by a post-session survey after the use of the system through the five-point Likert scale on ease of use, engagement, realism, and other sub-categories. The prototype performed 12% better than benchmark platforms in user engagement and 9% better in perceived personalization. Figure 1 compares user satisfaction scores of the proposed system with those of two leading AR platforms, illustrating user satisfaction levels.



Fig. 1: Comparative User Satisfaction Scores Across Platforms

Table 1: Technical Performance Metrics

Metric	Proposed System	Snapchat Lens Studio	Instagram Spark AR
Avg. Latency (ms)	38	45	47
Battery Drain (%)	12	15	17
Crash Rate (%)	1.5	2.8	3.0
Frame Rate (FPS)	58	55	53

The results validate that the system proposed in this work offers better technical metrics and user experience owing to its sophisticated data processing techniques and modular architecture. Customizable AR features as well as clearer definitions for privacy settings were also noted as preferences by users. These observations imply that subsequent designs need to enhance user optimization and control around the cross-device experience.

Conclusion

This work proposes a PEG methodology for incorporating Augmented Reality into social media applications, focusing on multi-stream data and activity-based personalization with privacy, among other system optimizations. The proposed system, which integrates edge computing, gesture control, and federated learning, is expected to provide enhanced user engagement and better system metrics than current platforms. It was shown in the findings that AR adds new possibilities for social interactions through immersion and expressiveness, but also raises issues regarding the supporting devices and the ethics of data use.

The paper highlights how innovation ought to be considered alongside inclusivity and privacy. Moving forward, further studies on AR should aim at lessening dependence on hardware, augmenting content availability, and creating principles of design that are accessible to all. Inclusively, federated architectures, explainable AI, and design of user interfaces centered on the user will mark the next evolution of augmented social experiences. This paper adds to the theory as much as it does the practice; it aims to assist those who wish to investigate the relationship between AR and social computing.

References

Azuma, R. T. (2001). Augmented reality: Approaches and technical challenges. In *Fundamentals of wearable computers and augmented reality* (pp. 43-80). CRC Press. https://doi.org/10.1201/9780585383590

Billinghurst, M., Kato, H., & Poupyrev, I. (2001). The MagicBook: a transitional AR interface. *Computers & Graphics*, *25*(5), 745-753. https://doi.org/10.1016/S0097-8493(01)00117-0

Bimber, O., & Raskar, R. (2005). *Spatial augmented reality: merging real and virtual worlds*. CRC press.

Dünser, A., Grasset, R., & Billinghurst, M. (2012). A survey of evaluation techniques used in AR. *ACM SIGGRAPH ASIA*, 1–27.

Lee, H., Kim, J., & Han, K. (2017). Personalization in AR using AI. *Journal of Multimedia Tools and Applications, 76*(21), 22013–22035.

Sra, M., Sahdev, S., & Schmandt, C. (2020). Designing ethical AR: Frameworks and case studies. *IEEE Pervasive Computing, 19*(1), 55–63.