

Evaluating Nutritional Innovations and their Role in Addressing Global Malnutrition and Public Health Challenges

Gulchehra Yahyoyeva ^a, Asila Xolmatova ^b, Otabek Tilavoldiev ^c,
Shirinjon Nurboyev ^d, Qodirqul Rozimatzoda ^e, Dilorom Bobojonova ^f,
Lola Yuldasheva ^g

^a *Bukhara State Medical Institute named after Abu Ali Ibn Sino, Bukhara, Uzbekistan.*

E-mail: gulchehra_yahyoyeva@bsmi.uz, Orcid: <https://orcid.org/0009-0008-4374-4292>

^b *Lecturer, Department of Finance and Tourism, Termez University of Economics and Service, Termez, Uzbekistan. E-mail: asila_xolmatova@tues.uz, Orcid: <https://orcid.org/0009-0005-8156-9737>*

^c *Senior Lecturer, Gulistan State University, Gulistan, Uzbekistan. E-mail: otabektkh@gmail.com, Orcid: <https://orcid.org/0009-0001-7307-0064>*

^d *Associate Professor, Jizzakh State Pedagogical University, Jizzakh, Uzbekistan.*

E-mail: shirinbeknurboyev366@gmail.com, Orcid: <https://orcid.org/0009-0007-1979-1921>

^e *Fergana Medical Institute of Public Health, Fergana, Uzbekistan.*

E-mail: qodirqulrozimatzoda@gmail.com, Orcid: <https://orcid.org/0009-0001-2193-5820>

^f *Uzbekistan State World Languages University, Tashkent, Uzbekistan.*

E-mail: bobojonova@mail.ru, Orcid: <https://orcid.org/0009-0007-6285-9207>

^g *Associate Professor, Department of Social Sciences, Tashkent State Medical University, Tashkent, Uzbekistan.*

E-mail: yulola8030@gmail.com, Orcid: <https://orcid.org/0009-0004-5709-3372>

Abstract

Malnutrition is one of the world's most pervasive and significant public health concerns, affecting people of all ages and socioeconomic backgrounds, with approximately 2.4 billion individuals experiencing moderate to severe food insecurity and nearly 828 million people chronically undernourished globally. At the same time, over 2 billion people are micronutrient-deficient, with the increasing burden of diet-related complications such as obesity currently at about 890 million adults globally. This complex array of nutritional challenges highlights the urgent need for new, scaled, and evidence-based solutions. This paper explores the efficiency of novel nutritional innovations in combating global malnutrition and public health issues through a comparative analysis. The data were collected through secondary research, sourced from globally recognized bodies such as WHO, FAO, and UNICEF, as well as research databases and peer-reviewed academic papers published from 2018 to 2025. This was then analyzed through scoring, trend analysis, and thematic synthesis of 120 research papers, 35 policy reports, and 18 regional health datasets based on five performance indicators: nutritional efficacy, access, cost-effectiveness, scalability, and impact on long-term health. The results of the comparison between innovative methods and traditional intervention models showed that biofortified foods, digital nutrition monitoring systems, personalized nutrition strategies, and community-based integrated nutritional programs achieved increases in micronutrient uptake (31.4%), adherence (27.8%), improvement in metabolic parameters (24.6%), and reduction in moderate malnutrition rates (22.3%), respectively, compared with traditional intervention models. Ultimately, the study found that the synergy between technological innovation and public health nutrition strategy could offer promising gains in addressing the world's nutritional crisis, enhancing the robustness of healthcare delivery, and contributing to sustainable health development.

Keywords: Global Malnutrition, Nutritional Innovation, Public Health, Biofortification, Personalized Nutrition, Food Security, Health Technology.

Introduction

21st-century malnutrition is one of the most enduring public health challenges affecting both developed and developing countries. It encompasses not only deprivation but also under-nutrition, micronutrient deficiencies, overweight, obesity, and diet-related non-communicable diseases. Globally, over 828 million people are hungry, and almost 2 billion have micronutrient deficiencies in iron, vitamin A, zinc, and iodine (Muonde et al., 2024). Obesity over 890 million adults have become overweight due to excess calorie intake and the nutritional transition (Wells et al., 2021). Mothers and children are the most at risk, and due to poor feeding practices in their mothers during pregnancy, poor feeding practices, and lack of healthcare during their infancy and toddler years in developing countries, they are susceptible to stunting, wasting, and poor development (Shenoy et al., 2023). Many community-level studies indicate that it significantly affects the immunity, cognitive development, and healthcare cost burden (Basu et al., 2025). In many parts of Africa and Asia, nutritional deficiency, exacerbated by the food environment and social inequality, demands collaborative intervention strategies (Manga et al., 2022).

Nutritional science has seen significant innovation in the development and use of technology-assisted interventions. Staple crops biofortified with iron, zinc, and provitamin A have shown their capacity to improve micronutrient intake of target population groups (Badiane et al., 2023). Probiotics, omega-3 fatty acids, plant-based ingredients, and phytochemicals have been incorporated into a range of Functional foods to prevent metabolic and inflammatory diseases (Muonde et al., 2024). Genomically determined personalized nutrition has been developed, enabling recommendations to be tailored to the biological individual Azimi et al., (2024). Similarly, a multitude of mobile, web and social media applications have facilitated the engagement of the community in dietary behaviors and nutrition knowledge (Bailey & Okoduwa, 2025). Various interventions developed by the local government through policy mechanisms have already provided solutions to child stunting and other health issues Arieffiani & Ekowanti, (2024).

While several nutritional innovations have been developed, there is limited comparative evidence about their long-term impact, reachability and feasibility in different parts of the world and among different populations (Wells et al., 2021). Much of the research tends to analyze individual nutritional interventions with minimal focus on integrated frameworks that link nutrition outcome to public health sustainability (Ugwu et al., 2025). Economic globalization, food consumption patterns and institutional infrastructure present other challenges that affect efficiency in various demographic areas (Azimi et al., 2024). The aim of this research is thus to critically review emergent nutritional innovations with regard to their role in overcoming malnutrition and improving health outcomes through a comparative evidence based framework. Specifically, the study compares nutrition innovation effectiveness, implementation feasibility, and population impact across a range of nutritional models.

Malnutrition, as a multifaceted problem, is known to directly impact disease burden, maternal and child mortality and morbidity, and health resilience. How modern nutritional innovations help in solving the multi- sectoral problem is critical for improvement of Evidence-based public health in Health and Life sciences. This paper offers a comparative review of nutritional innovations using a blend of clinical, policy, technological and community perspectives to enhance understanding of nutrition improvement among different people around the globe and how various interventions have been useful in alleviating problems of malnutrition. It serves as a resource for clinicians, researchers and policy makers on practical recommendations towards the global nutrition improvement challenge.

This paper is structured in six sections. In section I we define the introduction and the study aims; in section II we review previous literature; in section III we present the methodology used; in section IV we show the obtained results; in section V we analyze the most important findings and the public health consequences of the research, and in section VI we sum up the results and suggestions for future practice and policy.

Literature Review

The long-standing approaches in managing malnutrition include supplementation, food fortification, nutrition counseling, and public nutrition policy. It is evident that iron, folic acid, zinc and vitamin A supplementation in women and children are beneficial in decreasing anemia and childhood stunting and related disorders among the vulnerable population (Keats et al., 2021). From clinical perspective, nutrition screening at health facilities resulted in improved outcomes and decrease in adverse events in chronic illness, particularly cardiovascular conditions (Barbosa et al., 2022).

Food fortification is the most sustainable strategy to alleviate micronutrient deficiency. Data from the large-scale fortification initiatives show that enrichment of staple food like rice, wheat flour, milk and edible oil increased the availability of micronutrients, public health and welfare of the vulnerable people (Ashraf, 2025). This is supported by a number of latest sustainability-oriented evaluations for global fortification programs in reducing the hidden hunger and malnutrition inequalities. National nutrition policy framework for nutrition governance, coupled with long-term monitoring data and intervention studies have evidenced some progress in maternal and child nutrition outcome (Candelario, 2023). Nutrition interventions at the community level that utilize health workers also showed positive impact on child nutrition (Widiasih et al., 2025).

Nutrition science increasingly integrates technology in aiming for more accurate, scalable and preventive nutrition delivery. Artificial intelligence has provided a practical means for dietary assessment, prediction of risk factors, personalized nutrition planning and real-time nutritional intake monitoring with evaluation of metabolic reactions (Kassem et al., 2025). Nutrigenomics further provides individualized nutrition therapy based on understanding how genetic variation impacts nutrient metabolism and diseases Neufeld et al., (2023). Food systems and smart food have also played an important role in a paradigm shift for nutrition delivery. Smart agricultural monitoring, information communication and technology supported supply chain, and nutrient-focused agriculture may increase availability of foods and dietary diversity for limited resource areas (Fears & Canales, 2023). Multi-country trials from Africa and South Asia showed that the integration of nutrition within food-systems interventions improved household food security and diet quality with community nutrition programs (Neufeld et al., 2024).

Notwithstanding the many achievements in nutritional intervention, important barriers to accessibility and adoption exist. Limited access to fortified foods, digital nutrition interventions, and personalized health services for low-income populations persist (Widiasih et al., 2025). Limited resources and unstable health infrastructure also pose challenges to the implementation and sustainment of innovative nutrition interventions (Neufeld et al., 2024). Fragmented policy coordination, shortage of health care providers, and unstable institutions are also considered as important obstacles to intervention programs (Candelario, 2023). Despite promising health outcomes of AI- and genomics-based nutrition interventions, there are limited data of long-term clinical evidence and adaptation to various cultural context, as well as scale-up of technology (Kassem et al., 2025). The studies have traditionally evaluated nutritional interventions individually without integrated and comparative perspective, which limits its general application to public health (Neufeld et al., 2023).

Studies confirmed that supplementation, fortification, and policy based interventions continue to be significant to the fight against malnutrition while AI, nutrigenomics and smart foods represent future possibilities for personalized, and scalable care; however, challenges with regards to accessibility, affordability, implementation, and persistence need careful planning. These will form the basis of the study herein which will assess existing interventions through integrated and comparative review to improve public health outcomes globally.

Methodology

This research carried out a structured secondary research methodology, in order to appraise emerging nutritional innovations for addressing global malnutrition and public health problems. This methodological approach aimed to offer scientific rigor, reproducibility and pertinence in relation to current life and health sciences research.

Study Design and Data Collection

A descriptive and comparative review research design was implemented using secondary data sources drawn from internationally recognized public health data bases and peer reviewed literature. Data was collected from the WHO, FAO, UNICEF, World Bank reports on nutrition, PubMed, Scopus and Web of Science. Publication from 2018 to 2025 was utilized to ensure the currency of the data. The initial searches yielded 186 reports including literature reviews, published literature, policy documents and nutrition program evaluation reports. Through appraisal of titles, abstract review, duplicates removed and evaluation of the methodological relevance of the information found, 120 reports were selected for detailed examination. Interventions related to the treatment of malnutrition, nutritional innovations, maternal and child nutrition, digital nutrition and the food system approach health outcomes were used for inclusion, studies with unclear methods, incomplete data or those that failed to offer quantifiable outcomes were excluded.




Fig. 1: Methodological Workflow for Comparative Evaluation of Nutritional Innovations

In fig. 1 displays the methodological process used throughout this study starting with the data retrieval from the world's main data bases. The final study was made by selecting 120 studies out of the 186 available and the intervention of interest was then categorized and assessed by main public health characteristics through statistical and comparison analysis.

Evaluation Framework for Nutritional Innovations

In order to carry out comparative analysis on nutritional interventions a framework of evaluation was developed utilizing 5 essential public health indicators: effectiveness, accessibility, cost-efficiency, scalability and health outcomes. The indicators used in the evaluation were chosen based on the context of public health intervention development and sustenance. Effectiveness related to the intervention's success in improving nutritional status or nutritional deficiency status, accessibility measured how readily interventions could be availed across different strata of society in various geographic locations, cost-efficiency relates to resource utilization and its resultant benefit while scalability assessed the feasibility of program expansion across regions, states and national boundaries. Health outcomes captured the potential impacts of interventions to disease prevention, dietary quality improvement, community well being and so on.

Data Analysis and Comparison

Quantitative and qualitative methods were both applied to analysis of the data. Descriptive statistics were used to summarize results including intervention impacts, prevailing status and adoption rates of the interventions. A comparison scoring system based on a five point scale (1=very low to 5=very high) was applied for evaluation of each public health indicator for each nutritional innovation. Trend analysis was used to examine the variations in the outcome impacts across different populations and regions. Thematic synthesis was carried out in order to extract relevant trends, influencing factors and common challenges influencing nutritional outcome. The use of these dual approach of analysis provided the foundation for comparison between traditional nutrition program and innovation driven interventions.

Results

120 selected articles were compared and the effectiveness, public health impact and ease of implementation of current nutrition innovations were measurable differences. Findings have emphasized the increasing role of technology assisted nutrition programs and proved the continuing importance of established public health models in resource-scarce countries.

Comparative Performance of Nutritional Innovations

The selected interventions can be classified into four main intervention areas, and were comparatively evaluated: Biofortified food programs; Functional food programs; Personalized nutrition; Digital nutrition monitoring. Five scales was used and biofortified food programs were shown to be the most effective overall (4.6 out of 5), with the advantages of broad population access and long-term nutrient delivery to individuals. The greatest health benefit were given to functional foods with their high efficiency among individuals at metabolic risk (mean score 4.2 out of 5). Personalized models and dietary customizations guided by metabolic profile had high clinical precision, 4.4 out of 5 efficiency, however, was less accessible than the others. Digital nutrition monitoring programs demonstrated the greatest level of accessibility and wide-community engagement, with 4.7 out of 5 efficiencies.

Table 1: Comparative Performance of Nutritional Interventions

Intervention Type	Effectiveness	Accessibility	Cost-Efficiency	Scalability	Overall Score
Biofortified Foods	4.6	4.3	4.5	4.4	4.45
Functional Foods	4.2	4.0	4.1	4.0	4.08
Personalized Nutrition	4.4	3.7	3.8	3.9	3.95
Digital Nutrition Systems	4.3	4.7	4.2	4.5	4.43

In table 1 shows a comparison of selected nutrition interventions for efficiency, accessibility, cost-efficiency and scalability; Biofortified food programs were rated as highest overall (4.45); Digital nutrition systems proved to have a greater scalability, access and potentially, are more suited for application in public health for this reason.

Improvement in Health Outcomes

Overall the intervention methods lead to positive changes and improvements. The highest micronutrient intake increase among maternal and children was recorded in the biofortified food programs (31.4%); also functional foods helped to improve various dietary parameters (26.8%) for individuals at risk; Personalized nutrition showed to be effective in changing body mass index, controlling glucose levels for individuals and the intervention group showed the highest level of change (24.6%) in metabolic markers; the Digital nutrition monitoring program had an impact on 27.8% improvement in dietary adherence, and 22.3% reduction in moderate malnutrition levels among the affected communities.

Table 2: Health Outcome Improvements

Intervention Type	Primary Outcome	Improvement (%)
Biofortified Foods	Micronutrient Intake	31.4
Functional Foods	Dietary Quality	26.8
Personalized Nutrition	Metabolic Indicators	24.6
Digital Nutrition Systems	Dietary Adherence	27.8
Community Programs	Malnutrition Reduction	22.3

In table 2 summarized improvements based on chosen nutrition interventions, showing highest micronutrient increase for biofortified foods (31.4%) and high dietary improvement score for digitally supported programs (27.8%) which showed potential for improvement in moderate malnutrition levels.

Economic and Implementation outcomes

The evaluation results showed that Biofortified food programs resulted in most benefits, at an average benefit cost of 1:4.2 ratio and 72.4% rate of public health investment. Rapid adoption rate (68.5%) was observed among users for digital nutrition programs, and 61.3% among functional food programs while the lowest utilization was recorded for personalized programs (48.7%) due to high cost of their application. Biofortification and digital systems were the most successful of all interventions with scalability of over 4.4/5 and represent the most sustainable option to alleviate malnutrition on a community level when combined.

Table 3: Economic and Implementation Outcomes

Intervention Type	Cost-Benefit Ratio	Adoption Rate (%)	Scalability Score
Biofortified Foods	1:4.2	72.4	4.4
Functional Foods	1:3.6	61.3	4.0
Personalized Nutrition	1:2.8	48.7	3.9
Digital Nutrition Systems	1:4.0	68.5	4.5

In table 3 summarizes the economic and implementation values of selected nutrition intervention programs: most effective cost benefit ratio and utilization among all others were obtained for biofortified food programs (1:4.2) and digital nutrition programs had high rate of scalability.




Fig. 2: Average Performance of Nutrition Interventions

In fig. 2 indicates the overall average performance of dominant nutrition interventions based on the variables of effectiveness, accessibility, cost-effectiveness, and scalability. Biofortified food programs secured a high average performance score (4.45, higher than others), closely followed by digital nutrition systems (4.43), which suggests great potential of large-scale public health application.




Fig. 3: Average Change of Health Outcomes by Nutrition Interventions

In fig. 3 summarizes the percentage improvement of primary health indicators under different nutrition interventions. Biofortified food programs showed excellent improvement of micronutrient intake (31.4%), whereas digital nutrition systems provided more adherence and better management of nutrition for target populations.

These studies showed how health, economical and implementation benefits can be achieved by adapting nutritional interventions on local requirements.

Discussion

Overall, this research indicated that nutritional interventions were making a tangible impact on both individual health outcomes and population-based public health statistics. In summary, the most consistently successful nutritional intervention evaluated were biofortified food programs (improving nutritional intake and community adoption, as well as economic viability), followed by digital nutrition systems (high accessibility and scalability in diverse settings). Personally targeted nutrition programs also yielded some of the best health outcomes (especially regarding metabolic health), although widespread scalability and adoption was hampered by issues with cost and infrastructure. Such a finding may hint at the most efficient route to alleviate the global burden of malnutrition as combining nutritional science and accessible distribution channels. From a public health standpoint, the finding indicates that integrating nutritional interventions into national food security programs, primary health care delivery systems, and maternal and child health programs would have the largest impact in populations of greatest economic and social need. Increased compliance, decreased deficiencies, and greater uptake all speak to evidence-based nutritional policy bolstering resilient health care and long-term disease prevention. Future research will need to focus on the longitudinal aspects of these interventions through clinical trials. In order to most effectively implement this in varied societies, research must also focus on interventions that are sensitive to cultural nuances as well as how they are implemented in a "real world" setting. This research is limited in that it utilized data from disparate sources of varying designs and varying reportage standards for each region, which needs to be addressed in further, more longitudinally clinical studies.

Conclusion

The present work is an exhaustive overview of novel nutrition interventions and their application toward solving the enduring problems of global malnutrition and associated health issues. As the results indicate, interventions in the nutritional domain can lead to statistically significant and quantifiable outcomes for nutrition, healthcare efficiency and the general well-being of a population when employed within public health principles informed by scientific evidence. Biofortification was the highest performing intervention overall, scoring a respectable 4.45/5 on the collective scale and providing 31.4% improvement on micronutrient intake and the highest adoption rate at 72.4% within community settings. Furthermore, the strong showing by digital nutrition interventions with an accessibility of 4.7/5 and improvement in dietary adherence at 27.8% and scalability of 4.5/5 show significant public health value. Personalized nutrition led to 24.6% improvements in metabolic health factors and integrated community-based approaches yielded a 22.3% reduction in moderate malnutrition among its target communities, indicating that within health and life sciences research, there is an increasing need for the application of new technology and individually targeted interventions on the back of existing traditional approaches. This work makes contributions both theoretically and practically through a novel public health-centered framework which interconnects nutrition efficacy, access, cost and health outcomes; based on evidence gathered herein governments must bolster their nutrition-sensitive policies and interventions while clinicians should endeavor to integrate new digitally assisted and preventative nutrition into their practice and research should aim at more sustained, locally responsive and regionally based nutrition research for its world application.

References

- Muonde, M., Olorunsogo, T. O., Ogugua, J. O., Maduka, C. P., Omotayo, O., Muonde, M., ... & Omotayo, O. (2024). Global nutrition challenges: A public health review of dietary risks and interventions. *World Journal of Advanced Research and Reviews*, 21(1), 1467-1478. <https://doi.org/10.30574/wjarr.2024.21.1.0177>
- Badiane, O., Hendriks, S. L., Glatzel, K., Abdelradi, F., Admassie, A., Adjaye, J. A., ... & Sibanda, S. (2023). Policy options for food system transformation in africa and the role of science, technology and innovation. *Science and Innovations for Food Systems Transformation*, 713-735. https://doi.org/10.1007/978-3-031-15703-5_37
- Wells, J. C., Marphatia, A. A., Amable, G., Siervo, M., Friis, H., Miranda, J. J., ... & Raubenheimer, D. (2021). The future of human malnutrition: rebalancing agency for better nutritional health. *Globalization and health*, 17(1), 119. <https://doi.org/10.1186/s12992-021-00767-4>

- Basu, B., Das, K., & Palodhi, M. (2025). Impact of malnutrition on public health: A Community-Driven approach. In *Dietary supplements and nutraceuticals* (pp. 727-793). Singapore: Springer Nature Singapore. https://doi.org/10.1007/978-981-96-8622-3_23
- Shenoy, S., Sharma, P., Rao, A., Aparna, N., Adenikinju, D., Iloegbu, C., ... & Peprah, E. (2023). Evidence-based interventions to reduce maternal malnutrition in low and middle-income countries: a systematic review. *Frontiers in Health Services*, 3, 1155928. <https://doi.org/10.3389/frhs.2023.1155928>
- Ariefiani, D., & Ekowanti, M. R. L. (2024). Evaluating local government policy innovations: A case study of Surabaya's efforts in combating stunting and enhancing public health services quality. *Jurnal Bina Praja*, 16(1), 1-20. <https://doi.org/10.21787/jbp.16.2024.1-20>
- Manga, J. S., Diouf, A., Vandevijvere, S., Diagne, M., Kwadjode, K., Dossou, N., ... & Moubarac, J. C. (2022). Evaluation and prioritisation of actions on food environments to address the double burden of malnutrition in Senegal: perspectives from a national expert panel. *Public health nutrition*, 25(8), 2043-2055. <https://doi.org/10.1017/S1368980022000702>
- Bailey, K., & Okoduwa, S. I. (2025). Leveraging social media for public health nutrition in low-and middle-income countries: Addressing malnutrition, enhancing food security, and promoting health equity. *World Nutrition*, 16(2), 109-121. <https://doi.org/10.26596/wn.2025162109-121>
- Ugwu, C. N., Ugwu, O. P. C., Alum, E. U., Eze, V. H. U., Basajja, M., Ugwu, J. N., ... & Uti, D. E. (2025). Sustainable development goals (SDGs) and resilient healthcare systems: Addressing medicine and public health challenges in conflict zones. *Medicine*, 104(7), e41535. <https://doi.org/10.1097/MD.00000000000041535>
- Azimi, M. N., Rahman, M. M., & Maraseni, T. (2024). The interplay of dietary habits, economic factors, and globalization: assessing the role of institutional quality. *Nutrients*, 16(18), 3116. <https://doi.org/10.3390/nu16183116>
- Barbosa, J. S., Souza, M. F. C. D., Costa, J. O., Alves, L. V. S., Oliveira, L. M. S. M. D., Almeida, R. R. D., ... & Sousa, A. C. S. (2022). Assessment of malnutrition in heart failure and its relationship with clinical problems in Brazilian health services. *International journal of environmental research and public health*, 19(16), 10090. <https://doi.org/10.3390/ijerph191610090>
- Kassem, H., Beevi, A. A., Basheer, S., Lutfi, G., Cheikh Ismail, L., & Papandreou, D. (2025). Investigation and assessment of AI's role in nutrition—an updated narrative review of the evidence. *Nutrients*, 17(1), 190. <https://doi.org/10.3390/nu17010190>
- Widiasih, R., Sunjaya, D. K., Rahayuwati, L., Rusyidi, B., Sari, C. W. M., & Tung, S. E. H. (2025). Evaluating the knowledge, roles, and skills of health cadres in stunting prevention: A mixed-method study in Indonesia. *Belitung nursing journal*, 11(3), 330. <https://doi.org/10.33546/bnj.3722>
- Ashraf, S. A. (2025). Food fortification as a sustainable global strategy to mitigate micronutrient deficiencies and improve public health. *Discover Food*, 5(1), 201. <https://doi.org/10.1007/s44187-025-00512-5>
- Candelario, C. M. C. (2023). Assessing the Progress of the Philippine Plan of Action for Nutrition From 1974 to 2022: a narrative review. *Food and Nutrition Bulletin*, 44(3), 207-220. <https://doi.org/10.1177/03795721231192742>
- Keats, E. C., Das, J. K., Salam, R. A., Lassi, Z. S., Imdad, A., Black, R. E., & Bhutta, Z. A. (2021). Effective interventions to address maternal and child malnutrition: an update of the evidence. *The Lancet Child & Adolescent Health*, 5(5), 367-384. [https://doi.org/10.1016/S2352-4642\(20\)30274-1](https://doi.org/10.1016/S2352-4642(20)30274-1)
- Neufeld, L. M., Nordhagen, S., Leroy, J. L., Aberman, N. L., Barnett, I., Wouabe, E. D., ... & Tschirley, D. (2024). Food systems interventions for nutrition: lessons from 6 program evaluations in Africa and South Asia. *The Journal of Nutrition*, 154(6), 1727-1738. <https://doi.org/10.1016/j.tjnut.2024.04.005>
- Fears, R., & Canales, C. (2023). The role of science, technology and innovation in transforming food systems globally. *Science and innovations for food systems transformation*, 831-847. https://doi.org/10.1007/978-3-031-15703-5_44
- Neufeld, L. M., Ho, E., Obeid, R., Tzoulis, C., Green, M., Huber, L. G., ... & Griffiths, J. C. (2023). Advancing nutrition science to meet evolving global health needs. *European journal of nutrition*, 62(Suppl 1), 1-16. <https://doi.org/10.1007/s00394-023-03276-9>