International Academic Institute for Science and Technology

International Academic Journal of Science and Engineering
Vol. 10, No. 3, 2023, pp. 26-29.

ISSN 2454-3896

International Academic Journal of Science and Engineering

www.iaiest.com

Eco-friendly Computing Models for Sustainable Data Center Cloud Applications

Hye-Jin Park [a]

[a] *Korea Advanced Institute of Science and Technology (KAIST), South Korea*.

Abstract

Sustainable Cloud Computing (CC) creates sustainable Data Center (DC) environments and fosters a conscientious integration of ecological issues with CC activities. The mandates for resources and energy reduction alongside sustainable computing practices bolster this perspective. This study examines the contemporary practices, tactics, and critical elements of the transition to sustainable CC, facilitating energy-efficient DC design. Energy-saving standards necessitate cohesive solutions for power-proportional elements, large-scale data storage, servers, and electrical power supplies to achieve comprehensive energy conservation. Vendors and DC administrators face substantial obstacles in advancing green computing via the cloud. The research examines diverse energy-efficient resource management methods and emphasizes the significance of creating creative and effective sustainable management systems. DC are prevalent, although their visibility underscores the imperative of rendering them sustainable inside the ecological framework. This article addresses the multifaceted challenges and heightened complications associated with implementing sustainable practices in cloud computing operations, offering recommendations and potential alternatives. The research delineates, realigns, and advocates for implementing tactics that encompass not just technical aspects but the enhancement of collaborations and the exploration of methodologies to analyze difficulties further, unify solutions, and assess the influence across further research fields.

Keywords: Cloud, Data Center, Sustainability, Eco-friendly Model

DOI: 10.71086/IAJSE/V10I3/IAJSE1028
Received: 20 June 2023/Revised: 25 July 2023/Accepted: 17 August 2023/Published: 28 September 2023

Introduction

Cloud Computing (CC) is an increasingly used enterprise computing paradigm that numerous vendors are integrating into their corporate ecosystem strategies (Nieuwenhuis et al., 2018). The fundamental infrastructure for services underpinning Data Centers (DC) accounts for a substantial and growing share of global energy and water consumption, contributing to detrimental releases of greenhouse gases and toxic waste (Ahmed et al., 2021). Currently, "cloud" is a prevalent metaphor denoting the utility, scaling, and manageability attributes anticipated from DC by their consumers. "The Cloud" has transcended metaphorical status and is now the internet's latest and most urgent DC, experiencing swift expansion in demand from a burgeoning clientele.

When designed for widespread adoption, practical improvements need years for complete integration (Shahin et al., 2017). They must be addressed during the construction of new facilities or significant renovations of current DC activities. Like how server clustering has facilitated Internet cloud-based services, "Green Information Technology (IT)" is advancing locally targeted and distant cloud computing technologies (Chuang & Huang, 2018). The rapidly developing cloud computing environment has unique prospects for service enhancement that can concurrently leverage and advance environmentally sustainable DC operations. As the technology environment expands, energy expenses and regulatory demands will coalesce to establish an information-centric energy system centered on green technological approaches that will facilitate or enhance environmentally friendly procedures in advertisement, company, and DC activities and potentially in cloud computing environments. Sustainable CC will employ advanced ecosystem principles to create an atmosphere conducive to promoting green computing, whereas others will concentrate on facilitating green IT. This endeavor focuses on pragmatic engineering alternatives for individuals constructing new DC environments.

Conventional computing requires substantial energy and hence produces undesirable pollutants. Technological innovations, including the emergence of multicore Central Processing Units (CPUs), streamlined instruction sets, extensive memory accessibility, low-latency backup accessibility, and enhanced networking capacity, render this computing model distinct and compelling (Crago et al., 2018). A derivative of this computing architecture enables suppliers to operate one or more virtual computers on a hypervisor. Applications operating within the virtual machines are unaware of the physical architecture of the DC, including machine assignment and the actual allocation of both memory and CPU resources. As a result, essential apps can access and utilize high-performance computer resources. According to their requirements, system engineers and major software corporations can lease virtual machines on a one-time premise.

Approaches for Sustainable DC Architecture

Sustainable cloud computing seeks to develop sustainable DC that operates continuously without disruptions. A significant portion of the storage and processing of data occurs within intricate software ecosystems known as clouds (Mazumdar et al., 2019). This finding emphasizes the significance of combating global warming by enhancing energy conservation in DC activities. In the digital era, minimizing the carbon imprint is essential for attaining sustainable computing systems. Diverse solutions are suggested for creating an eco-friendly DC that can foster a sustainable CC ecosystem. All plans must fundamentally prioritize decreasing the environmental impact and enhancing energy-efficient integration within DC activities, as shown in Fig. 1.




Fig. 1. Best practices for DC

Utilizing Renewable Energy Sources (RES) in DC is an inherent selection for an eco-friendly cloud ecosystem. In numerous areas, energy constitutes the primary operating expense of the data center. Establishing a DC necessitates substantial investment in technological equipment. A portion of the energy expenditure allocated to DC operations ought to yield 'free energy reductions' independently of subsidies. The accessibility of RES is highly contingent upon geographic location and the specific type of solar energy utilized. The decrease in power consumption of DC might vary, achieving energy savings of up to 10% for process-oriented facilities.

Various technical alternatives diminish power consumption; however, they significantly increase the operational expenses of the DC or compromise infrastructure reliability (Henderson et al., 2017). The funders ought to assess both the supplementary advantages of diminishing power usage efficiency and the implications of escalating costs associated with DC development and operational activities. An examination of methods for creative cooling technologies and highly efficient energy layouts is presented, emphasizing both technical and design approaches. Strategies for handling resources and operational techniques are suggested. The objective is to offer actionable strategies, showcasing successful instances of their execution. The research presents the sustainable DC environment model to enhance the building of sustainable DC environments and to enable end-users to take an active role in this environment.

Integration of RES

A significant portion of electricity produced by non-renewable fossil fuels is now utilized by DC, prompting the development of strategies to procure energy from RES for their operations. Globally, RES for DC, including wind and solar power, are accessible and utilized with growing frequency (Karbouj et al., 2019). Formulating RES methods for DC usage will be crucial in establishing healthy DC environments. Companies and governments strive to transition to environmentally friendly alternatives to reduce reliance on non-RES. A notable advancement is the shift from a singular power source to a synthesis of electricity produced from natural sources.

This is beneficial for several reasons: it diminishes reliance on a singular commodity, offering a safeguard against various dangers as they are more stable than petroleum or coal. It is devoid of fossil fuels, and augmenting energy utilization from RES will contribute to an environmentally friendly future. Solar and wind energy are the sole substantial RES, rendering them sustainable alternatives; their adoption is increasing as the costs of technology components decline. Integrating RES into DC architecture presents various problems, including infrastructure demands, advancement, and growth, which elevate prices. Numerous corporations pursuing this approach have referenced their commitment to environmental stewardship and the economic advantages of utilizing RES. Implementing laws and regulations that provide tax incentives would further address these infrastructure deficiencies.

Innovation in Cooling Systems

DC generally depends on extensive, energy-intensive refrigerated cooling equipment; the efficiency of such large-scale cooling solutions is suboptimal. Despite homogeneous hardware output in every server room, the cooling demands significantly exceed those of direct uncovered area cooling methods. The ideal temperature for the cold corridor should range from 20°C to 25°C, which is not sufficiently low and results in energy wastage for cooling. The majority of cooling equipment in DC was put in post-2008. Numerous DCs are experiencing deteriorating and inefficient refrigeration systems. There is an increasing interest in employing chilled-water technologies and liquid cooling techniques, such as direct-to-chip or recirculation mid-plane fluid cooling, as viable alternatives.

Numerous DCs in prominent IT sectors employ free cooling through outdoor air. Common instances encompass floating terminals and free-air conditioning racks utilizing external air, which are proliferating in business fields. In a medium- or large-scale DC with exceptional energy conservation and long-term viability, integrating pertinent networking with the structural components is vital, rather than merely implementing cold aisle containment due to elevated heat exchange densities. The prospect of reductions in emissions of carbon dioxide, operational electricity expenses, and capital expenditures serves as a compelling incentive. A new study asserts that the energy utilized for cooling might have diminished from 50% to 40-55%, contingent upon implementing free-air air conditioning systems.

Conclusion

This study performed a systematic and quantitative examination to comprehend the evolution of green cloud computing methods and their ramifications for establishing an environmentally friendly DC environment. The endeavor to enhance the sustainability of this essential framework for the digital age and Industry 4.0 is already substantial. Efforts must be accelerated as significant work remains. Numerous difficulties were addressed during the scholarly publication process. Two critical issues require additional investigation: the impact of green computing on

the durability of DC facilities, as the interdependencies among resilience and sustainability are fundamental characteristics of operational and planning architectures. Energy consumption requires elucidation to encompass power-intensive digital currencies, blockchain technology, the Internet of Things (IoT), and its association with campus IoT energy management capabilities.

Sustainable initiatives and approaches must be sufficiently innovative to align with the continuously advancing information society, DC technological advances, and industrial evolution. Future investigations seek to resolve outstanding issues. The primary aim is to equip for Industry 4.0, establishing a robust foundation for forthcoming Industry 5.0 CC-based solutions. Expediting the advancement of Industry 4.0 networks presents a significant chance to exceed these objectives. Prominent industry parties have established arrangements to anticipate the imminent introduction of such technical advancements. The research advocates for extensive data sharing and comprehension of the Sustainable conclusion, as third-party interests will be constrained in a fiercely competitive, prestige-driven industrial marketplace. Such techniques enable stakeholders to determine their level of engagement with the topic. Additional information can be provided if interested, allowing the participants to make more decisions.

References

Nieuwenhuis, L. J., Ehrenhard, M. L., & Prause, L. (2018). The shift to Cloud Computing: The impact of disruptive technology on the enterprise software business ecosystem. *Technological forecasting and social change*, *129*, 308-313. https://doi.org/10.1016/j.techfore.2017.09.037

Ahmed, K. M. U., Bollen, M. H., & Alvarez, M. (2021). A review of data centers energy consumption and reliability modeling. *IEEE access*, *9*, 152536-152563. https://doi.org/10.1109/ACCESS.2021.3125092

Shahin, M., Babar, M. A., & Zhu, L. (2017). Continuous integration, delivery and deployment: a systematic review on approaches, tools, challenges and practices. *IEEE access*, *5*, 3909-3943. https://doi.org/10.1109/ACCESS.2017.2685629

Chuang, S. P., & Huang, S. J. (2018). The effect of environmental corporate social responsibility on environmental performance and business competitiveness: The mediation of green information technology capital. *Journal of business ethics*, *150*, 991-1009. https://doi.org/10.1007/s10551-016-3167-x

Crago, N. C., Stephenson, M., & Keckler, S. W. (2018). Exposing memory access patterns to improve instruction and memory efficiency in GPUs. *ACM Transactions on Architecture and Code Optimization (TACO)*, *15*(4), 1-23. https://doi.org/10.1145/3280851

Mazumdar, S., Seybold, D., Kritikos, K., & Verginadis, Y. (2019). A survey on data storage and placement methodologies for cloud-big data ecosystem. *Journal of Big Data*, *6*(1), 1-37. https://doi.org/10.1186/s40537-019-0178-3

Henderson, M. I., Novosel, D., & Crow, M. L. (2017, November). Electric power grid modernization trends, challenges, and opportunities. In *IEEE, Nov*.

Karbouj, H., Rather, Z. H., Flynn, D., & Qazi, H. W. (2019). Non-synchronous fast frequency reserves in renewable energy integrated power systems: A critical review. *International Journal of Electrical Power & Energy Systems*, *106*, 488-501. https://doi.org/10.1016/j.ijepes.2018.09.046