International Academic Institute for Science and Technology

International Academic Journal of Science and Engineering
Vol.12, No. 3, 2025, pp. 45-50.

ISSN 2454-3896

International Academic Journal of Science and Engineering

www.iaiest.com

Development Of Wearable Sensors for Continuous Monitoring of Vital Signs and Health Parameters

Dr. Carlos Méndez Rivera [a], Amina El-Fahmy [b]

[a] *School of Computer Science, Universidad Nacional de Colombia, Colombia.*
[b] *School of Computer Science, Universidad Nacional de Colombia, Colombia.*

Abstract

The subject of smart textiles is highly broad, and its fabric technology is very advanced in all areas of wearable textiles, particularly in the area of health monitoring. Smart textiles are sophisticated structures that have the ability to detect environmental cues, respond to them, and adjust by incorporating appropriate capabilities into the textile structure. Every man's life is being transformed by a new civilization as a result of these textiles' increasing appeal, interest, and attention worldwide. The subject of wearable technology has grown rapidly in recent years. As the name suggests, "Wearable Electronics or Textiles Wearable" refers to a device that is worn on the body and integrates intelligence (sensors and electronics) into the clothes. The term "wearable technology" refers to the trendy electronic apparel and soft or hard accessories that have electronic components embedded into them. In essence, a wearable device is a small computer with wireless connection, processing, sensing, and storage capabilities. This trademarked line of electronic apparel is well-known for its applications in sports, healthcare, space exploration, public safety, and the military. They can also be applied to a wide range of emerging fields. There are a ton of fascinating opportunities for techno-textiles when contemporary electronics and computer technology are used in textiles.

Keywords: Wearable Electronics, Wearable Device, Privacy.

DOI: 10.71086/IAJSE/V12I3/IAJSE1224
Received: 23 June 2025/Revised: 28 July 2025/Accepted: 26 August 2025/Published: 30 September 2025

Introduction

The marketing of fashion apparel and textiles has grown to be a crucial area of international trade. New solutions are required as a result of technical advancements, increased market competition, and societal shifts, particularly in the field of textile applications, which is growing in all spheres of life. From early cavemen who interlaced animal hides, twigs, and reeds for protection to men in the digital age who interlaced textured yarns to create "smart" or "intelligent" textiles, advances in science and technology have completely changed the fabric industry. Approximately 90% of our lives are connected to textiles, and they are beginning to develop intelligence. More precisely, recent advancements in the incorporation of electronic systems into or onto textiles have made it possible for the wearable electronic textile business to flourish. The popularity of wearable electronics is growing daily. Future fibers, yarns, fabrics, and inventive goods are added to these textiles. They are meticulously braided, altered, completed, and created to meet a variety of purposes, such as the digital curtains that gradually illuminate a person's face while playing a "Good Morning" wake-up tune. The so-called "smart" or "intelligent" textiles evolve from traditional forms to technical, functional, and reactive textile products. These textiles are closely related to other engineering, scientific, and design fields, leading to the development of new functional and smart technologies (Dias & Paulo Silva Cunha, 2018). By adding functional features, such as the ability to sense and respond to their surroundings, ordinary textiles' basic qualities have been transformed into smart wearable textile materials. These items occasionally come with wearable electronics, which are frequently an essential component of intelligent textiles (Leenen et al., 2020). Variously referred to as smart fabrics, electronic textiles, or etextiles, intelligent textiles are not only protective but also aesthetically pleasing. Through the industrial and computer revolutions, as well as more recently, the wearable revolution, the textile sector has achieved significant advances that have inspired others to change their industries and society. The future electronics will serve as the foundation to satisfy the garments worn in daily life, according to the concept underlying this wearable computing revolution, as illustrate in the Fig. 1. Special wearability standards must be met by such electronic gadgets.




Fig. 1: Health Monitoring Framework on Wearable Sensor Platform

Proposed Methodology

Since wearable technology enables users to track their every move, physical state, and much more, it is fair to say that it will be the backbone of our economy in the future. The names "electronic textiles" and "wearable electronics" refer to a wide variety of textile goods, and the only restrictions on their potential applications are our own creativity and imagination. Information technology, wireless networks, sensors, microsystems, electronic hardware, and textiles are all areas of expertise that are combined in the recently developed field of electronics textiles. After smartphones, wearable technology will surpass smartphones as the best-selling consumer electronics item globally. According to CNBC, the output of smart electronic wearables is expected to surpass 305 million units by 2020, with a compound annual growth rate of 55%. The world is growing increasingly "health conscious" and there is a pressing need to raise the standard of medical care (Khan et al., 2016). One important factor in this evolution is textiles. Through wearable technology incorporated into clothing, conductive textile materials are a significant instrument in the progress of wireless communication between medical professionals and patients or anyone in need of care. Innovative soft textile interfaces that are very popular with end users in today's world have been made possible by new techniques in electrotextiles, such as the use of conductive yarns. According to (Jacobsen et al., 2021), the impact of new technology

for enhancing the health and well-being of both individuals and populations is unparalleled, prompting discussions about a digital revolution in healthcare. Over time, human body monitoring has progressed from hospital bedside monitors to wearable technology that can track a person's physiological activities around-the-clock (Youssef Ali Amer et al., 2020).




Fig. 2: Block Diagram of Proposed Framework

The ideal of precise, ongoing, and real-time health monitoring via wireless signals has been illustrated by recent technological developments in the sectors of electronics and textiles (Weenk et al., 2017. This wearable system monitoring is unique and provides a solid basis for creative and innovative design development. Developments in flexible wearable circuits and the incorporation of sensor technologies into garments have led to substantial advancements in physiological health monitoring in recent years. The sensor's placement and understated design make it appropriate for long-term monitoring. By monitoring the vital indicators of the individual living at home and having a medical professional within short elevations, innovative options for spotting emergencies in the home can be successfully achieved, preventing mishaps. (Breteler et al., 2020). The overall architecture and flow of such a wearable health monitoring system are illustrated in Fig. 2.

Experimental Results

Experiments are carried out for two sets based on the simulation time and packet interval time selected; the Tele Medicine Protocol (TMP) and the suggested DTS approach are contrasted. The suggested research approach has been assessed and examined. A numerical evaluation of the suggested hybrid analysis and fog-based model has been conducted.




Fig. 3: End–to–End Average Delay Under Different Time Simulation

The mean end-to-end latency with an increase in simulation time is displayed in Fig. 3 above. Data is stored using dynamically dependent time slots, and the DTS Scheme has been assigned to track the packet arrival rate. In order to reduce the amount of time that nodes in the queue must wait, slot waste has been distributed dynamically. Measurement techniques have been employed in TMP to adjust the service period parameter and MAC with lower than DTS. The average delay is between 47 and 59 percent longer than that of IEEE 802.15.4 and the standard TMP. the network's end-to-end average delay utilizing the suggested HHTSF-AA technique. The average end-to-end delay is determined starting from the first packet to arrive at the destination node. comprises transmission, buffering, queuing, and propagation delays. In other words, the end-to-end delay determines how long it takes a packet to travel from its source to its destination.




Fig. 4: Energy Consumption Under Different Simulation Time

The average energy consumption is displayed in Fig. 4 above, with the DTS system having the lowest energy consumption. The energy present in each node serves as the foundation for the suggested method. By allocating time slots dynamically, the pooled energy is efficiently utilized within the energy resources at hand. Compared to c, the energy ratio in TMP is less significant. There has been a 22% and 31% reduction in the overall DTS energy use, respectively.




Fig. 5: Packet Delivery Ratio (Pdr) Under Simulation Different Times

The PDR source node is the root node, as seen in Fig. 5 above, which is determined by dividing the amount of packets sent out of the source node by the total number of root nodes. The DTS type has the biggest PDR in the diagram. Nonetheless, the primary goal of the TMP Protocol was to minimize slot waste from the source node to the root node by allocating time slots. IEEE 802.15.4 standard CAP and CFP transmission serves as the foundation for the data transfer. DTS is 12% to 15% higher than IEEE 802.15.4 and the TMP.




Fig. 6: Average Consumption Of Energy Under Different Packet Interval

Fig. 6 illustrate the individuals who are unable to communicate their health issues, such as infants and elderly individuals, are the first to face challenges in the idea of health monitoring. A smart wearable electronic fabric for infants is urgently needed due to the high infant mortality rate. The goal of this research project is to design and develop a very affordable remote baby monitoring system that can measure an infant's body temperature and heart rate. The data is then sent to a remote location and displayed on a smartphone, allowing the parent or caregiver to take appropriate action. This gadget will be extremely helpful in an emergency or to save lives.

Conclusions

Future professionals must comprehend the new digital data on people, clients, and patients that are emerging in healthcare with the new wearable gadgets in order to ensure a sustainable and secure development in health and welfare. Healthcare will benefit greatly from the analysis of this data, and in order to advance, practitioners and researchers must collaborate and have a positive conversation about how to handle and adapt to these technological advancements in a way that guarantees wearable technology, which has the potential to be a significant asset for healthcare in the twenty-first century (Haveman et al., 2022). Researchers and academics are interested in monitoring data that can be transferred into fabrics that function as sensors based on electromagnetic shielding. As a result, electro textiles have been used in many industries, particularly medical, where they have enhanced the value of jackets, bands, and vests by transferring signals that may be used to monitor one's health.

References

Breteler, M. J., KleinJan, E. J., Dohmen, D. A., Leenen, L. P., van Hillegersberg, R., Ruurda, J. P., ... & Kalkman, C. J. (2020). Vital signs monitoring with wearable sensors in high-risk surgical patients: a clinical validation study. *Anesthesiology*, *132*(3), 424-439. https://doi.org/10.1097/ALN.0000000000003029

Youssef Ali Amer, A., Wouters, F., Vranken, J., de Korte-de Boer, D., Smit-Fun, V., Duflot, P., ... & Vanrumste, B. (2020). Vital signs prediction and early warning score calculation based on continuous monitoring of hospitalised patients using wearable technology. *Sensors*, *20*(22), 6593. https://doi.org/10.3390/s20226593

Jacobsen, M., Dembek, T. A., Kobbe, G., Gaidzik, P. W., & Heinemann, L. (2021). Noninvasive continuous monitoring of vital signs with wearables: fit for medical use? *Journal of diabetes science and technology*, *15*(1), 34-43. https://doi.org/10.1177/1932296820904947

Leenen, J. P., Leerentveld, C., van Dijk, J. D., van Westreenen, H. L., Schoonhoven, L., & Patijn, G. A. (2020). Current evidence for continuous vital signs monitoring by wearable wireless devices in hospitalized adults: systematic review. *Journal of medical Internet research*, *22*(6), e18636. https://doi.org/10.2196/18636

Weenk, M., van Goor, H., Frietman, B., Engelen, L. J., van Laarhoven, C. J., Smit, J., ... & van de Belt, T. H. (2017). Continuous monitoring of vital signs using wearable devices on the general ward: pilot study. *JMIR mHealth and uHealth*, *5*(7), e7208. https://doi.org/10.2196/mhealth.7208

Haveman, M. E., van Rossum, M. C., Vaseur, R. M., van der Riet, C., Schuurmann, R. C., Hermens, H. J., ... & Tabak, M. (2022). Continuous monitoring of vital signs with wearable sensors during daily life activities: validation study. *JMIR formative research*, *6*(1), e30863. https://doi.org/10.2196/30863

Khan, Y., Ostfeld, A. E., Lochner, C. M., Pierre, A., & Arias, A. C. (2016). Monitoring of vital signs with flexible and wearable medical devices. *Advanced materials*, *28*(22), 4373-4395. https://doi.org/10.1002/adma.201504366

Dias, D., & Paulo Silva Cunha, J. (2018). Wearable health devices—vital sign monitoring, systems and technologies. *Sensors*, *18*(8), 2414. https://doi.org/10.3390/s18082414