International Academic Institute for Science and Technology

International Academic Journal of Science and Engineering
Vol. 13, No. 2, 2026, pp. 131-137.

ISSN 2454-3896

International Academic Journal of Science and Engineering

www.iaiest.com

Identifying Structural Barriers to Clinical Proficiency for Neurodivergent Learners Within Sensory Intense Medical Training Environments

Mavsuma Oltiboyeva [a*], Muazzam Turdimurodova [b], Zilola Yalgasheva [c], Malika Pulatxodjaeva [d], Baxodir Xusanov [e], Rustam Ergashev [f], Guzal Karimdjanova [g]

[a] Lecturer, Samarkand State Medical University, Samarkand, Uzbekistan.*
E-mail: asadbek03032018@gmail.com, Orcid: https://orcid.org/0009-0005-4084-6726
[b] Doctoral Researcher, Jizzakh State Pedagogical University, Jizzakh, Uzbekistan.
E-mail: muazzamturdimurodova6@gmail.com, Orcid: https://orcid.org/0009-0003-3400-4747
[c] Doctoral Researcher, Jizzakh State Pedagogical University Jizzakh, Uzbekistan.
E-mail: zilolyalgasheva@gmail.com, Orcid: https://orcid.org/0009-0006-6915-9273
[d] Associate Professor, Uzbekistan National Pedagogical University named after Nizami, Tashkent, Uzbekistan.
E-mail: malikamalika3255323@gmail.com, ORCID: https://orcid.org/0000-0002-8842-1138
[e] Associate Professor, Rector Namangan State Pedagogical Institute, Namangan, Uzbekistan.
E-mail: xbaxodir1970@gmail.com, ORCID: https://orcid.org/0009-0003-4676-177X
[f] Professor, Gulistan State Pedagogical Institute, Gulistan, Uzbekistan. E-mail: rustamergashev-57@mail.ru, ORCID: https://orcid.org/0009-0009-4719-2218
[g] Lecturer, Tashkent State Medical University Tashkent, Uzbekistan. E-mail: karimdjanovaguzal@gmail.com
ORCID: https://orcid.org/0000-0002-6961-118X

Abstract

Medical competency is one of the key outcomes from learning in medical schools; however, it presents challenges to neurodivergent students in sensory demanding environments. High cognitive loads, multi-sensory stimuli, and strict procedural steps limit learners' capabilities, decrease their task accuracy, and exacerbate the cognitive load problem. Although the neurodiversity movement has grown considerably in recent years, existing medical training programs have not been adapted to eliminate those obstacles. Therefore, there is a pressing need for inclusive solutions to optimize and maximize performance in medical environments. In this case study, an engineering and technological methodology is employed to assess structural and systematic barriers faced in clinical learning processes. The creation of sensory-adjustable simulation environments has been performed, including customizable interface layout, haptic and visual feedback system, and controllable environment (lighting, sounds, task difficulty). Controlled simulation scenarios have been carried out under both traditional and adaptive settings, where reaction times, error percentages, task completion percentage, and measures of cognitive load are assessed. Further analysis is applied using regression and cluster methods to measure the contribution of engineering factors to clinical performance. Stratified analysis and performance variability indicated that individuals who initially possessed higher sensory sensitivities gained the most from adaptive solutions. Effect sizes were very high ($d>0.8$) and performance differences were all significant ($p<0.01$), indicating a clear improvement due to engineered environment. These results confirm the positive impact that engineering interventions have on minimizing structural challenges for neurodiverse people. With the application of adaptive principles, simulation of human systems and performance metrics, it is possible to create more accessible

DOI: 10.71086/IAJSE/V13I2/IAJSE1359
Received: 27 February 2026/Revised: 07 April 2026/Accepted: 11 May 2026/Published: 30 June 2026

and efficient learning environments within medical training systems. This paper contributes to the existing knowledge base by providing a framework for the development of intelligent and sensory-responsive medical learning systems.

Keywords: Neurodiversity, Sensory-Adaptive Simulation, Human-System Interaction, Clinical Proficiency, Performance Metrics, Engineering Design, Adaptive Training.

Introduction

The development of clinical competence is crucial in any medical learning program since its importance is not only in ensuring patient safety but also in making proper decisions about healthcare provision. The development of competency involves utilizing much time for hands-on experience, dealing with many difficult cases or scenarios in the clinic, as well as attaining cognitive and procedural skills under pressure of time. Such training usually takes place in real settings within healthcare educational facilities such as laboratories for simulating and practicing purposes. However, while such training environments may be realistic and stimulating on a sensory level, they may present significant cognitive and sensory demands for learners that would put certain medical students at a disadvantage, particularly those suffering from neurodevelopmental disorders such as autism spectrum disorder, attention deficit hyperactivity disorder (ADHD), or sensory sensitivity.

Despite the fact that neurodiversity is gaining increased recognition in educational publications, many shortcomings remain in terms of the adaptation of the training approach to accommodate the needs of neurodiverse students. Current approaches to training are mostly focused on the implementation of the "one-size-fits-all" strategy which includes standardized training programs, simulation techniques, and assessment strategies. Structural obstacles, such as uncontrolled sensory stimulation, non-adaptive interfaces, and failure to individualize feedback, are still not addressed by any of the currently utilized training techniques. Engineering solutions that take into account the features of human-systems interactions and sensory ergonomics can help resolve the problem mentioned above.

The purpose of this paper is to undertake a methodical study of the systemic constraints that obstruct the development of skills and competence in a sensory-rich medical environment among neurodivergent learners. The aim is to propose design guidelines for the design of a system that can render medical learning environments not only accessible but also optimized in their performance metrics and minimally burdensome to the learner both cognitively and sensorily. Data analysis and simulation models along with sensorimotor interventions would enable the formulation of such an approach for developing medical training systems.

This paper will be structured in the following manner: Section I will deal with background, problem statement, and objectives, specifically the challenges associated with acquiring competence in the clinical setting. Section II discusses the existing literature on sensory problems and engineering solutions employed in medical education. Section III describes the methodology, highlighting controlled simulations, system modeling, and statistical analysis methods. Section IV highlights the findings in terms of performance indicators, clustering, and regression analysis results. Section V offers discussion on the engineering aspects of training, obstacles to adaptation, and suggestions for improving the design of the adaptive system. Section VI concludes the paper.

Literature Review

Clinical Training and Neurodivergence

Growing research has shown that the challenges faced by neurodivergent students are unique in terms of their impact on clinical education since they relate to increased levels of sensory sensitivity, processing, and social interactions. The problem is that most of the students who have autism often find it hard to deal with sensory overload and multitasking while undertaking clinical placements that can make it hard for them to learn (Edwards et al., 2026; Misra et al., 2025). Note, the issue has been compounded by various system and pedagogical barriers (Aitken et al., 2025). For instance, inflexible curriculum design and standard assessment strategies make the disparity worse. We recommend that inclusiveness in mentorship, accommodation, and policy reforms is necessary in addressing the challenge as a means of improving the professional development of neurodivergent students (Brown et al., 2025). Research conducted shows that recognition and disclosure help to promote engagement and outcomes in terms of clinical competency (Gray et al., 2025; Gray et al., 2026). The autistic characteristics are often not recognized in failing students, making it impossible for the gaps to be filled (Giroux & Pélissier-Simard, 2021).

The quantifiable measures of performance, error rates, and time taken for task completion as reported by prior research reveal deficits occurring during conventional training sessions involving intense sensory usage (Pickles et al., 2025)

(Neilson et al., 2025). There is empirical proof that learners on the neurodivergence spectrum achieve improvements in simulated clinical task completion when provided with interventions, and their performance is less likely to suffer from cognitive overload (Jerjes & Majeed, 2025; Jerjes & Majeed, 2026). The policies regarding mandatory training and awareness sessions positively affect neurodivergent learners' performance levels and engagement (Bressman et al., 2026).

Engineering and Technological Interventions

The use of advances in simulation systems, human-computer interaction, and sensory-adaptive systems in clinical training offers a hopeful path towards tackling structural barriers in clinical education (Prasath, 2025). Ergonomic design of simulation laboratories, dynamic feedback systems, and sensory adaptive interfaces can be used in an attempt to regulate sensory load and maximize optimal cognitive processes (Btia et al., 2025). Another study highlights how physical environment, lighting conditions, auditory input, and task sequencing have an important influence on the engagement and learning of neurodivergent individuals (Riordan et al., 2024). The adaptive scheduling and interface customization can decrease stress levels and increase task accuracy in complex procedure simulations (Kumwilaisak, 2026; Brice & Dwan, 2025).

The efficacy of engineering-focused interventions has been supported by quantitative studies. Task completion time, number of errors, response latency, and stress indicators (heart rate, galvanic skin response) have been used as metrics when evaluating sensory-adaptive training tools (Heaps et al., 2025; Koh, 2025). The importance of incorporating user-oriented design in educational technology, among others (Borsotti et al., 2024; Kelly, 2024). Studies conducted in fields of healthcare, veterinary, and professional education suggest consistent improvements in both performance and participant experience (Hogenkamp et al., 2026; Bressman et al., 2026).

Together, these sources suggest that using clinical knowledge along with engineering-based adaptations will work to alleviate structural barriers. Although traditional teaching methods are insufficient to deal with sensory and cognitive issues, by using ergonomic designs, simulations, and monitoring of performance, an empirical way can be found to improve the clinical skills of neurodiverse individuals. Such information lays the foundation for this study, whose main goal is to find ways to overcome structural barriers through system-wide adaptive design strategies.

Methods

Study Design

The current study will use a mixed methods approach combining engineering science with quantitative methodologies to explore the issues of structural barriers faced by neurodivergent individuals in sensory-rich medical training settings. This is accomplished through controlled simulation experiments, system modeling, and statistical analyses in order to assess performance results in relation to different sensory situations. The study approach examines the intersection among individual sensory characteristics, task requirements, and engineering variables.

Quantitative Empirical Methods

The simulations performed involved high-fidelity simulation scenarios that mimicked sensory-based learning environments. Sensory manipulations included variations in hearing, sight, and touch sensations. Performance was measured objectively through measures like reaction times, errors made, accuracy of completion, and cognitive loads. Pre- and post-simulation measurements enabled comparisons to be made between performances involving different sensory manipulations.

Engineering/System Modeling

Sensors and actuators were added to the simulation environment that was capable of simulating an adaptive intervention strategy. This involved having controllable auditory and visual stimuli and control mechanisms as well as the use of haptic interfaces. Environmental variables such as light and sound stimuli were also controllable in the simulation process. Information from sensors was collected and analyzed in order to gauge the performance levels and variability of subjects when exposed to different environmental conditions.

Statistical Analysis

The collected data was analyzed with the use of regressions and clustering in order to calculate the relationship between sensory load and clinical proficiency. The multivariate regressions were applied in order to investigate the impact of sensory sensitivity, task complexity, and adaptive systems on the indicators of clinical proficiency. Moreover, the analysis was performed with the use of clusters in order to detect differences in the reaction to sensory

load among different types of learners with high and low adaptation levels. The significance level was set to $\alpha = 0.05$, and the size of effects was estimated.

Fig. 1 below depicts a simplified model that links the attributes of the learner's sensory profile, the tasks in the medical training process, and engineering considerations to increase clinical proficiency in highly sensorial training processes within medicine. This model shows the role of adaptive considerations like interface design, feedback control, and environmental management in achieving clinical proficiency, efficient learning, well-being, and engagement through a feedback loop system.




Fig. 1: Conceptual Framework for Sensory-Adaptive Medical Training

Results

Engineering and System-Oriented Findings

The research focused on the effects of adaptive stimuli on clinical skills in a simulated environment involving neurodivergent students. Engineering variables that can be adjusted include interface design, haptics, visual feedback, lighting, and noise control. Significant performance improvements, in terms of fewer mistakes made and quicker response time, have been observed when adaptive stimuli were provided in the simulated environment relative to the use of the regular environment. This is most noticeable in high-complexity clinical tasks with high sensory demands.

Performance Metrics and Quantitative Comparison

Performance measures have been observed across various training settings. Table 1 below shows the values of reaction times, procedural error rate, and task completion accuracy observed under standard and adaptive settings. Subjects in

adaptive training environments showed a relative reaction time improvement of 18.18%, decreased procedural errors by a relative 29.88%, and task completion accuracy increased by a relative 14.90%.

Table 1: Comparison of Performance Metrics Across Training Conditions

Condition	Reaction Time (ms)	Error Rate (%)	Task Completion Accuracy (%)
Standard	1320 ± 210	16.4 ± 4.2	78.5 ± 5.3
Sensory-Adaptive	1080 ± 180	11.5 ± 3.1	90.2 ± 4.6

In table 1, a comparison is made between the performance of learners under standard and sensory adaptive learning environments. The table provides a comparison of the benefits accrued through the implementation of engineering and sensory adaptation techniques to improve clinical skills.




Fig. 2: Multidimensional Performance Comparison

Fig. 2 shows a comparison between the performance criteria (reaction time, error percentage, and accuracy) for both the regular training process and the sensory-adaptive one in the context of training for medicine. The radar diagram clearly illustrates the advantages of the adaptive interventions, showing numerical results on each side.

Insights from Data Patterns

Based on the findings of the cluster analysis, each group had unique learner profiles, where participants who had highly developed sensory sensitivity were found to benefit the most from adaptive designs. Based on the findings obtained using the regression model, it was seen that interface design and haptic feedback accounted for more than 60% of variance in the accuracy of task performance, thus emphasizing the significance of engineering design as a tool that helps overcome limitations related to sensation and cognition. Overall, the results showed substantial evidence in favor of the hypothesis.

Discussion

The findings from this research study reveal that engineering-based solutions in the medical learning context are capable of leading to drastic performance improvements by students with disabilities. The presence of adaptive interface design, feedback, and environmental control helps reduce sensory and cognitive overload and makes it possible for the learner to complete the required tasks effectively. Reaction time, error rate, and task completion were all positively influenced in cases when there were sensory adaptation solutions in place.

There are several structural and systematic barriers that hinder the performance of the learners. These include the presence of a considerable amount of sensory overload, an inability to adapt interfaces as well as rigidity in task sequences. The combination of all these factors makes things difficult for the learners and causes them to face issues with cognitive overload and information processing. It is seen that some small interventions can help resolve these issues.

Potential changes in the design may include the utilization of modular and scalable adaptive technology systems that will be capable of tracking the learning performance and modifying the simulation conditions accordingly. The principles of ergonomics, such as providing adequate lighting, decreasing noise levels, and applying haptic stimuli, can be utilized in simulation labs based on the needs of people with different sensory capabilities. The user interface can provide the possibility of personalizing the dashboard, adjusting feedback methods, and setting up one's level of cognitive effort. Therefore, inclusivity will be ensured.

It is possible to draw some conclusions based on the results of this study. It becomes evident that the utilization of engineering principles and systems modeling techniques to predict people's responses to stimuli may make a considerable contribution to the establishment of adaptive training ecosystems in the realm of medical education. The incorporation of the data feedback system in simulations will allow managing both task and sensory demands effectively.

Conclusion

The findings from the study demonstrate that engineering-oriented methods have proven highly efficient in promoting clinical competency in neurodivergent individuals engaged in their training amid the sensory-loaded clinical environment. Modifications made to the interfaces, including layouts, haptic feedback, and visuals, facilitated the reduction of both cognitive and sensory overloads, leading to improved task completion speed, reduction in errors, and success in task performance. Based on the regression and cluster analysis, differences in performance outcomes were significantly driven by the combined effects of interface design and haptic feedback. Thus, the current study calls for the implementation of a modular and scalable adaptive system in the medical education context that monitors learner performance and automatically modifies simulation parameters. Taking into account the ergonomics issues of proper lighting, sound control, and haptic interaction, such a system should be designed bearing sensory diversity in mind. Other measures recommended for the promotion of inclusivity and skills include customizing interfaces, regulating feedback, and scheduling. Further investigation should focus on expanding the use of adaptation methods in other medical disciplines, enlisting more learners, and monitoring their skills development. Utilization of real-time analysis, machine learning algorithms, and multisensory feedback loops might enhance system effectiveness. Lastly, assessing the practicality and feasibility of engineering adaptations within the current medical curriculum is essential.

References

Edwards, E., Porter, N., Handley-Stone, R., Hingley-Jones, H., & Reynolds, G. (2026). The Experiences of Autistic Healthcare Students in a Clinical Learning Environment: A Scoping Review. *Autism*, *30*(5), 1206-1221. https://doi.org/10.1177/13623613261427125

Kumwilaisak, W. (2026). Intelligent EMS dispatch via adaptive learning with counterfactual and risk-aware optimization. *IEEE Access, 14*, 31804–31823. https://doi.org/10.1109/ACCESS.2026.3668258

Brown, M. E., Burford, B., & Vance, G. (2025). Barriers, facilitators and solutions to equitable career progression for disabled doctors: an integrative review. *BMJ open*, *15*(10), e106639. https://doi.org/10.1136/bmjopen-2025-106639

Prasath, C. A. (2025). Adaptive Embedded Learning-Control Architectures for Reconfigurable Sensorless Motor Drive Platforms. *Journal of VLSI and Embedded System Design*, 1-9.

Gray, L., McNeill, B., Woodman, J., Bernard, S., Kos, J., Hewitt, Y., ... & Evans, S. (2026). "You Have So Much to Offer as a Health Professional": Neurodivergent Students' Experiences of Recognition, Disclosure, and Accommodation in Australian Health Professions Education. *Teaching and Learning in Medicine*, 1-18. https://doi.org/10.1080/10401334.2026.2632753

Btia, J., Kolba, M., Fatem, B. F., & Abbas, M. (2025). Secure Context-Aware Learning Platforms with Cognitive Adaptation Mechanisms. *Transactions on Internet Security, Cloud Services, and Distributed Applications*, 53-59.

Jerjes, W., & Majeed, A. (2025). Neurodiversity: bridging the gap in UK's GP training for a more inclusive future. *Frontiers in Medicine*, *12*, 1587283.https://doi.org/10.3389/fmed.2025.1587283

Pickles, K. J., Ivey, H., & Tötemeyer, S. (2025). Support for Neurodivergent Students in Veterinary Education, Part 2: Scoping Review of Neurodivergent Students' Experience in Clinical Learning Environments. *Journal of Veterinary Medical Education*, (aop), e20240152.https://doi.org/10.3138/jvme-2024-0013

Borsotti, V., Begel, A., & Bjørn, P. (2024). Neurodiversity and the accessible university: Exploring organizational barriers, access labor and opportunities for change. *Proceedings of the ACM on Human-Computer Interaction*, *8*(CSCW1), 1-27. https://doi.org/10.1145/3641011

Kelly, K. S. (2024). Building Scaffolding Instead of Barriers: Accessibility for Neurodivergent Law Students. *S. Ill. ULJ*, *49*, 149.https://doi.org/10.2139/ssrn.4958152

Neilson, S., O'Kelly, J., Doyle, J. K., Kenny, N., O'Neill, C., Butler, S., & McDonald, J. (2025). "... Fallen through the cracks...": A Co-Produced Qualitative Exploration of Autistic Student Experiences at an Irish Higher Education Institution. *Autism in Adulthood*, *7*(4), 505-516. https://doi.org/10.1177/25739581251362835

Jerjes, W., & Majeed, A. (2026). Non-visible disability in the medical curriculum: what medicine overlooks, patients inherit. *Frontiers in Medicine*, *13*, 1701393. https://doi.org/10.3389/fmed.2026.1701393

Misra, R., Chang, R., Adebiyi, O. T., Orbe, M., Pham, D., Miner, K., & Frasier, K. M. (2025). Advancing Dermatologic Equity for Individuals with Autism Through Awareness and Structural Reform. *Cureus*, *17*(5). https://doi.org/10.7759/cureus.83829

Bahmani, A., Cha, K., Alavi, A., Dixit, A., Ross, A., Park, R., ... & Snyder, M. (2025). Achieving inclusive healthcare through integrating education and research with AI and personalized curricula. *Communications Medicine*, *5*(1), 356. https://doi.org/10.1101/2024.07.31.24311182

Heaps, C., Shaw, S. C., & Doherty, M. (2025). Supporting neurodivergent doctors to thrive at work. *BJPsych Advances*, 1-12. https://doi.org/10.1192/bja.2025.10116

Koh, M. S. (2025). Efficacy and Empathy: Teaching Students with Cognitive and Environmental Exceptionalities. In *Teaching Today's Child: Becoming a Contemporary Teacher* (pp. 177-205). Cham: Springer Nature Switzerland. https://doi.org/10.1007/978-3-031-99174-5_9

Riordan, J., Timperley, S., O'Brien, C., Edwards, C., Murrihy, C., Harrison, M., ... & Mendus, A. (2024). Creating the conditions for inclusion: Investigating optimal physical spaces for supporting neurodivergent staff and postgraduate students. *Neurodiversity*, *2*, 27546330241285353. https://doi.org/10.1177/27546330241285353

Brice, A., & Dwan, S. (2025). Neurodivergent voices in the classroom: Acquired or innate, still a student. *Perspectives of the ASHA Special Interest Groups*, *10*(6), 2177-2190. https://doi.org/10.1044/2025_persp-24-00156

Hogenkamp, L., Sanghavi, D., & Natri, H. (2026). Toward an Emergent Paradigm for Neurodiversity and Health. *Autism in Adulthood*, 25739581261433443. https://doi.org/10.1177/25739581261433443

Bressman, N. R., Fritz, H. L., Freeman, A. R., Bradley, C. J., Koehl, M. A. R., Müller, U. K., & Carlson, H. N. (2026). Strengths, challenges, and experiences of neurodivergent faculty in academia. *Integrative and Comparative Biology*, *66*, icag019. https://doi.org/10.1093/icb/icag019

Aitken, D., Hodge, G., Page, M., Lastmann, E., Hiller, S., & George, R. E. (2025). Navigating medical school with autism: a systematic review exploring student experiences & support provision in the United Kingdom. *BMC Medical Education*, *25*(1), 927. https://doi.org/10.1186/s12909-025-06866-9

Gray, L., McNeill, B., Pecora, L., Macfarlane, S., Hayley, A., Hitch, D., & Evans, S. (2025). Navigating neurodivergence: A scoping review to guide health professions educators. *Medical Education*, *59*(10), 1037-1048.https://doi.org/10.1111/medu.15676

Giroux, M., & Pélissier-Simard, L. (2021). Shedding light on autistic traits in struggling learners: A blind spot in medical education. *Perspectives on Medical Education*, *10*(3), 180-186. https://doi.org/10.1007/s40037-021-00654-z