

Uncertainty-Aware Bayesian Adaptation Improves Reliability of Student Psychological Assessment Tools

Nodirbek Murodov ^{a*}, Shoira Shoyimova ^b, Nazokat Isroilova ^c,
Muxlisaxon Habibullayeva ^d, Umidjon Rakhimov ^e, Gulbarno Sodiqova ^f,
Gulnavoz Adizova ^g

^{a*} *Doctoral Student, National Institute of Pedagogy and Character Education Named After Kori Niyoz, Tashkent, Uzbekistan. E-mail: murodovnodirbek069@gmail.com, Orcid: <https://orcid.org/0009-0001-4150-0111>*

^b *Department of Pedagogy, Alfraganus University, Tashkent, Uzbekistan.*

E-mail: sh.shoyimova@afu.uz, Orcid: <https://orcid.org/0009-0006-7638-361X>

^c *Department of Social Sciences, Pedagogy and Psychology, Tashkent State Medical University, Tashkent, Uzbekistan. E-mail: isroilovanr@gmail.com, Orcid: <https://orcid.org/0000-0002-1174-4158>*

^d *Department of Theory and History of Pedagogy, Namangan State Pedagogical Institute, Namangan, Uzbekistan. E-mail: muxlisahabibullayeva42@gmail.com, Orcid: <https://orcid.org/0009-0007-4312-3050>*

^e *Associate Professor, Bukhara State Pedagogical Institute, Bukhara, Uzbekistan.*

E-mail: uraximov724@gmail.com, Orcid: <https://orcid.org/0009-0001-1709-6649>

^f *Acting Associate Professor, Department of Psychology and Sociology, Alisher Navoi Tashkent State University of Uzbek Language and Literature, Tashkent, Uzbekistan. E-mail: gulbarno92@mail.ru, Orcid: <https://orcid.org/0009-0007-3660-2512>*

^g *Department of Psychology, Bukhara State University, Bukhara, Uzbekistan.*

E-mail: gulnavozadizova@icloud.com, Orcid: <https://orcid.org/0009-0000-1623-4934>

Abstract

The assessment of students' psychological status is one of the major aspects for detecting problems in terms of students' mental health at school which influence the performance of learners. However, there have been improvements in application of AI methods to achieve accurate assessment. However, the current assessment models fail to provide an assessment of prediction uncertainty which makes them less effective in the educational context. In order to solve this problem, an Uncertainty-Aware Bayesian Adaptation (UABA) framework is suggested in the paper, and it includes data preprocessing, posterior estimation of the Bayes model, adaptive learning, and confidence-aware classification in order to deliver a reliable student psychological assessment. The novel thing about the UABA framework is that in addition to predicting the psychological condition of students, it provides a measure of confidence of each prediction with the help of Bayesian uncertainty estimation. The Bayesian adaptive mechanism helps optimize the parameters of the model continuously based on the incoming data, thereby reducing overconfident incorrect predictions and decision-making. The UABA framework has been applied to a benchmark student psychological assessment dataset and benchmarked with different machine learning and deep learning models such as SVM, Random Forest, CNN, LSTM and Transformer. Experimental results revealed that the proposed UABA model had a maximum accuracy of 97.82%, precision of 97.56%, recall of 97.31%, F1 score of 97.43% and AUC of 98.11% among all the comparative models. In addition to this, the false positive rate, false negative rate, prediction confidence, and calibration score of the framework were 2.18%, 2.69%, 97.92%, and 98.26%, respectively, achieving better than the other models in terms of prediction performance and uncertainty estimation. These results further support the viability of uncertainty aware Bayesian adaptation as a reliable methodology in psychological evaluation of students with the use of AI.

Keywords: Student Psychological Assessment, Uncertainty-Aware Learning, Educational Data Mining, Mental Health Prediction, Uncertainty Quantification, Predictive Reliability, Explainable Artificial Intelligence (XAI).

Introduction

Dealing with mental problems such as stress, anxiety, depression, and academic pressures has an adverse effect on one's mental well-being and academic performance and learning within educational institutions, and hence why mental health problems must be considered a concern within educational institutions is a critical issue. The problems can be detected at an earlier stage so that the educators and counselors are able to help and improve student outcomes (Shen et al., 2025). Therefore, the capacity to make use of artificial intelligence (AI) and machine learning (ML) to aid in automated psychological assessment and help professionals in making decisions is growing (Raj & Sathiyam, 2025; Zhou et al., 2024).

A number of current psychological assessment systems categorize students based on their responses to questionnaires, behavioral observations and academics data, machine learning and deep learning models being applied for such a classification (Ye et al., 2021; Teng et al., 2024). Several studies have demonstrated that machine learning algorithms such as Support Vector Machines (SVM), Random Forest (RF), Decision Trees (DT), and deep learning models can effectively predict psychological conditions and mental health risks from behavioral, academic, and questionnaire data (Zhou et al., 2024). However, most of these models predict only the result and do not provide any confidence in it. That makes the measurement less reliable, especially in case when the information is not enough, noisy or uncertain (Zhou et al., 2024). The approach of Bayesian learning offers the way of solving the problem as both prediction and uncertainty are evaluated within it (Zhang et al., 2025; Lou et al., 2025). Bayesian methods do not provide only one output but also give the confidence of each prediction and update the model in case new information is provided (Ayón et al., 2024). It makes the model more resistant, helps to avoid over-confident mis-prediction and increases the precision of psychological assessment results (Oyebamiji et al., 2026; Nepal et al., 2024).

In order to tackle such challenges, this research proposes the Uncertainty Aware Bayesian Adaptation (UABA) approach in assessing the psychological state of students (Clemente, 2026). The technique proposed in this paper uses data pre-processing, Bayesian uncertainty analysis, adaptive modeling and confidence-based classification techniques, as they help improve prediction accuracy (Menna et al., 2026). This framework is capable of predicting the psychological state of students, while providing confidence scores that will assist decision making for counselors and educators. From the experiments conducted, the proposed UABA framework has demonstrated that its accuracy, precision, recall, F1-score, and AUC scores of 97.82%, 97.56%, 97.31%, 97.43% and 98.11% respectively are better than those of other machine learning and deep learning frameworks (Wenyang et al., 2025). This implies that the use of Bayesian uncertainty improves the precision, reliability and credibility of psychological assessment system using AI among students (Wang et al., 2026).

Key Contributions of the Research

- Developed an Uncertainty-Aware Bayesian Adaptation (UABA) framework to improve the reliability of student psychological assessment by estimating prediction uncertainty.
- Integrated Bayesian learning with adaptive classification to reduce incorrect predictions and improve the confidence of psychological assessment results.
- Validated the proposed framework through experiments, achieving 97.82% accuracy, 97.56% precision, 97.31% recall, 97.43% F1-score, and 98.11% AUC, demonstrating better performance than existing methods.

Rest of the paper is organized in the following way. In Section II, a brief survey is given on the current state of research in the area of psychological assessment of students, uncertainty aware learning and Bayesian-based prediction models. In Section III, the Uncertainty-Aware Bayesian Adaptation (UABA) technique that consists of data pre-processing, estimation of uncertainty through the use of Bayesian technique, adaptive learning and classification. Section IV contains the experimental setup, performance analysis, comparison of the proposed technique with existing one and result analysis. Experimental results significance, pros and cons of the proposed model and its implications are considered in section V. In Section VI, summarize the main results obtained and indicate directions for future research.

Literature Review

The study by Hou, (2026) introduces multimodal deep learning architecture which integrates behavioral, academic and psychological attributes. This method applied an attention mechanism to improve the accuracy of predicting

psychological risk students, and its performance surpassed conventional machine learning algorithms. Although the framework effectively employed several types of information, it was focused on prediction accuracy without taking into account prediction uncertainty, thus limiting its use in practical psychological applications.

The Goyal et al., (2025) study, which employs CNN, RNN, natural language processing, facial expression analysis, speech analysis and chatbot intervention, provides live psychological monitoring with customized recommendations for enhancing student's well-being. The use of multimodal architecture improves the capability of assessment; however, the lack of mechanisms for uncertainty estimation and making decisions regarding results makes the framework not suitable for educational systems.

Zhang & Shi, (2025) have developed a framework for an AI-assisted predictive modeling and psychological intervention approach designed for college students. This research adopts a combination of machine learning techniques for prediction and adaptive interventions for improvement of psychological health education. It has been shown via experimental analysis that the accuracy and effectiveness of prediction and intervention are improved in comparison to traditional assessment methods. The introduced model utilizes deterministic predictions while ignoring possible uncertainties in student psychological data which might influence decision-making in real-life applications.

Dira et al., (2024) carried out a systematic literature review (SLR) from the ethical point of view on machine learning techniques applied for studying student mental health. The study has analyzed recent developments in the area of AI and ML technologies for mental health prediction, detection and diagnosis and identified several important problems regarding fairness, privacy, transparency and ethical application of AI in medicine. It has been concluded that machine learning has a considerable effect on the predictive performance but still more research needs to be done to develop trustworthy models that could work under uncertainty.

Xiaohui & Lianghui, (2025) came up with the development of a framework based on Bayesian Network to assess mental interventions among college students as well as predicting their academic performance. The Bayesian network was efficient in modeling uncertainties compared to a number of other conventional machine learning methods. Despite the strengths that come with Bayesian networks, its use in assessing mental interventions among college students and academic achievements has been mainly for the sake of assessment, rather than building a self-learning model based on the Bayesian network.

The current literature indicates the possibility of the usage of AI and deep learning models to analyze the multimodal data of students, to predict their performance, and to infer psychological traits of students through a probabilistic method. The literature indicates that there has been a development in the enhancement of the accuracy of psychological assessment of students through multimodal data analysis, prediction, and probabilistic methods including Bayesian inference. However, the majority of the works concentrate on achieving high levels of predictive accuracy only and overlook the issue of predicting the uncertainty of the prediction. Besides, the current models provide deterministic predictions that are not reliable enough for prediction of noisy and heterogeneous student data sets. There are some works about Bayesian techniques within certain educational environments but very few works on the combination of uncertainty-aware learning and psychologisation in Education. Therefore, a reliable, uncertainty-aware Bayesian framework with an adaptive learning model is required to achieve trustworthy decision making and proper intervention into mental well-being of the students.

Methodology

Data Preprocessing and Feature Extraction

The presented Uncertainty-Aware Bayesian Adaptation (UABA) model consists of two stages, the first stage of which is aimed at preprocessing the data on students' psychological assessment. The available information includes demographic information, academic results, behavior characteristics and responses to the psychological assessment questions. First, mean/mode imputation will be used to deal with missing values, and duplicates that do not match will be deleted to improve the quality of the data. The numerical features are normalized using the Min-Max normalization technique to make them comparable, whereas the categorical features are transformed into numeric values through the one-hot encoding technique. Afterward, feature selection is performed to eliminate irrelevant and redundant features and reduce computational costs without damaging the model performance. Lastly, the processed features are combined into a single feature vector to extract the important psychological features for each student. This preprocessing stage will allow to reduce noise, increase data homogeneity, and provide high-quality data for uncertainty estimation and adaptive classification with the help of the Bayesian approach.




Fig. 1: Data Preprocessing Workflow for Student Psychological Assessment

The data preprocessing workflow for the proposed Uncertainty-Aware Bayesian Adaptation (UABA) approach is presented in fig. 1. The first step involves imputing any missing values as part of addressing any missing values in the data set while improving its quality. The last step is duplicate elimination where duplicates will be removed from the samples. The continuous variables are standardized into a common scale through numerical normalization while the non-numerical ones are converted into computer understandable format via categorical encoding. Then, feature selection is done to identify the most important psychological and behavioral features, reducing the number of dimensions and computation complexity. Finally, all the selected features are integrated to create a feature vector which will be inputted into a Bayesian adaptation model to predict psychology.

Uncertainty-Aware Bayesian Adaptation

The extracted feature vectors are then passed through the suggested Uncertainty-Aware Bayesian Adaptation (UABA) model for the psychological evaluation process after the process of preprocessing. Unlike the conventional machine learning models that predict a class label, the proposed approach makes not only the prediction of the psychological state of the subject under study but also the level of uncertainty related to this prediction. In terms of Bayesian learning, the parameters of the model are considered to be probability distributions, which makes it possible to show how confident the system is about its prediction, and to adapt itself to new data. The posterior probability distribution is updated iteratively in the course of training on the basis of the student's data, which results in adaptation of the model. The higher is the level of uncertainty of the prediction made, the lower is the confidence in this prediction, thus minimizing the risk of taking incorrect actions basing on it. The adaptive learning technique ensures continuous optimization of the model parameters based on new information received during the assessments, hence improving the flexibility of the model with respect to other samples of students.

The proposed UABA framework initializes the Bayesian model parameters using a Gaussian (Normal) prior distribution, where $\theta \sim N(0, I)$ with a prior mean of 0 and a variance of 1. The Gaussian prior was selected because it provides effective parameter regularization, facilitates stable posterior estimation, and reduces the risk of overfitting during model training. The uncertainty score (U) is normalized to the range of 0 to 1 and is employed to determine whether the Bayesian posterior requires updating. Based on preliminary validation experiments, an uncertainty threshold of $U_{th} = 0.30$ was adopted. Whenever the uncertainty score exceeds this threshold, the posterior probability distribution is updated using the newly observed student data; otherwise, the existing posterior parameters are retained. This adaptive update strategy enables the proposed model to learn only from sufficiently uncertain predictions, thereby improving prediction reliability, computational efficiency, and the robustness of psychological assessment.

Bayesian Posterior Probability

The posterior probability is used to update the model's belief after observing student psychological data. It combines the prior knowledge with the observed evidence to estimate the probability of each psychological class.

$$P(\theta | D) = \frac{P(D|\theta)P(\theta)}{P(D)} \quad (1)$$

The above equation (1) provides the ability for the proposed UABA model to continuously update its predictions based on newly acquired data from the students' assessments. The posterior probability takes into consideration the prior knowledge and the new data, giving room for adaptation of the model in case the psychological behaviors of the students change.

Psychological Risk Classification

The final psychological class is determined by selecting the class with the highest posterior probability.

$$c^{\wedge} = \operatorname{argcmax} P(c | X) \quad (2)$$

This is shown in equation (2) After obtaining the Bayesian posterior probability of each psychological category, the proposed model then selects the category with the maximum probability as the final prediction. Because the decision is based on the Bayesian posterior probability, the model not only gives the predicted category but also its degree of certainty. This enables the teachers and psychologists to make reliable predictions while also paying more attention to uncertain cases.

Algorithm: Uncertainty-Aware Bayesian Adaptation (UABA)

Input: Student psychological dataset D

Output: Predicted psychological class Y and confidence score C

Begin

1. Load dataset D
 2. Preprocess D
 - a. Remove missing and duplicate records
 - b. Normalize numerical features
 - c. Encode categorical features
 3. Extract feature vector X
 4. Initialize Bayesian prior $P(\theta)$
 5. For each student sample X_i do
 - a. Compute likelihood $P(D|\theta)$
 - b. Compute posterior probability
$$P(\theta|D) = (P(D|\theta) \times P(\theta)) / P(D)$$
 - c. Estimate uncertainty score U
 - d. Predict class
$$Y_i = \operatorname{argmax} P(c|X_i)$$
 - e. If $U > \text{Threshold}$ then
$$\text{Update Bayesian parameters}$$
$$\text{End If}$$
 - End For
 6. Return predicted class Y and confidence score C
 - End
-

The algorithm describes the procedure of the proposed psychological assessment framework for students based on Uncertainty-Aware Bayesian Adaptation (UABA). This algorithm begins with reading and processing student information. In the process of data processing, the algorithm involves filling gaps, eliminating duplicates, normalizing numerical attributes and encoding categorical variables. Then, the algorithm converts data to feature vectors that are inputted at the entry point of the Bayesian model. With every student sample, the algorithm calculates likelihood and posterior probability to evaluate a psychological class and its uncertainty. Based on the obtained results, the algorithm chooses the class with the highest posterior probability as the predicted class. Also, the uncertainty value is used to define the level of confidence in predicting the class. In case of a high uncertainty value, the algorithm updates the Bayesian model using the new samples to improve future predictions. Finally, the algorithm outputs the class of psychological assessment with the confidence score, thus providing an efficient and trusted framework for decision-making.

Experimental Results

Experimental Setup, Dataset, and Parameter Initialization

The proposed Uncertainty-Aware Bayesian Adaptation (UABA) framework was evaluated using a benchmark student psychological assessment dataset comprising demographic information, academic performance indicators, behavioral attributes, and responses to standardized psychological assessment questionnaires. The dataset contains multiple psychological risk categories representing different levels of student mental well-being. Prior to model training, the data were preprocessed through missing value imputation, categorical feature encoding, numerical feature normalization, and feature selection to improve data quality and reduce redundancy. The processed dataset was divided into training (80%) and testing (20%) subsets using a stratified train-test split to preserve the class distribution during model evaluation. The input feature set includes demographic, academic, behavioral, and psychological variables that collectively support reliable psychological state prediction using the proposed Bayesian adaptation framework.

Table 1: Experimental Setup, Dataset, and Model Parameter Initialization

Parameter	Value
Dataset	Benchmark Student Psychological Assessment Dataset
Data Type	Demographic, Academic, Behavioral, and Psychological Questionnaire Data
Training Data	80%
Testing Data	20%
Data Preprocessing	Missing value imputation, normalization, categorical encoding
Feature Selection	Important psychological features
Proposed Model	Uncertainty-Aware Bayesian Adaptation (UABA)
Programming Language	Python 3.11
Development Environment	Jupyter Notebook
Processor	Intel Core i7
RAM	32 GB
GPU	NVIDIA 24 GB VRAM
Learning Method	Bayesian Adaptive Learning
Evaluation Metrics	Accuracy, Precision, Recall, F1-Score, AUC
Validation Method	Train-Test Split (80:20)

Table 1 contains the description of experimental setup for evaluation of the proposed UABA model. The model was trained and tested by splitting the data set into two parts using an 80/20 ratio for training and testing, after using some pre-processing techniques such as dealing with missing values, normalizing the data, and encoding the categorical data. The implementation of the proposed model was done through the Python programming language on a system with 32 GB RAM and an NVIDIA 24 GB GPU with an Intel Core i7 processor. The performance of the model was evaluated using classification measures including accuracy, precision, recall, F1-score, and AUC.

Performance Metrics

The effectiveness of the proposed Uncertainty-aware Bayesian Adaptation (UABA) algorithm has been analyzed using five widely accepted classification criteria: Accuracy, Precision, Recall, F1-score, and Area under the ROC curve (AUC). As is evident from equations (3), (4), (5) and (6), these metrics offer a complete evaluation of the algorithm since they measure the performance of the model in terms of classification accuracy, precision of the predictions, detection of psychological risk cases, and trade-off between precision and recall. Moreover, AUC measures how well the model classifies the different psychological classes at all possible thresholds.

In equation (3), Accuracy measures the proportion of correctly classified samples among all predictions.

$$Accuracy = \frac{TP+TN}{TP+TN+FP+FN} \quad (3)$$

In equation (4), Precision measures the proportion of correctly predicted positive cases among all predicted positive cases.

$$Precision = \frac{TP}{TP+FP} \quad (4)$$

In equation (5), Recall measures the proportion of actual positive cases correctly identified by the model.

$$\text{The Recall} = \frac{TP}{TP+FN} \quad (5)$$

In equation (6), the F1-Score is the harmonic mean of Precision and Recall.

$$F1 - Score = 2 \times \frac{Precision \times Recall}{Precision + Recall} \quad (6)$$

Comparative Performance Analysis

In this section, the proposed Uncertainty-aware Bayesian Adaptation (UABA) framework will be compared with existing machine learning and deep learning frameworks for student psychological assessment. The models used for the comparison include SVM, RF, CNN, LSTM, and Transformer. The performance of the models is measured in terms of accuracy, precision, recall, F1 score, and AUC. Results show that the incorporation of Bayesian uncertainty estimation improves prediction reliability and overall classification accuracy. The proposed UABA framework outperforms others in all the measures of performance, demonstrating the efficiency of the model in handling uncertainty and heterogeneity in student psychological data.

Table 2: Performance Comparison with Existing Methods

Method	Accuracy (%)	Precision (%)	Recall (%)	F1-Score (%)	AUC (%)
SVM	90.45	89.82	89.14	89.48	91.12
Random Forest	92.18	91.75	91.33	91.54	92.86
CNN	94.26	93.88	93.42	93.65	95.14
LSTM	95.41	95.08	94.76	94.92	96.27
Transformer	96.38	96.04	95.82	95.93	97.06
Proposed UABA	97.82	97.56	97.31	97.43	98.11

As can be seen from table 2, the performance of the developed UABA model is better in terms of all of the evaluated measures when compared with other comparison models. The highest level of performance is shown by the model at 97.82%, which is 1.44% higher compared to the level of the Transformer model. At the same time, the improvements can be observed for precision (97.56%), recall (97.31%), F1 score (97.43%) and AUC (98.11%) demonstrating the increase in accuracy and class separation. The use of Bayesian uncertainty measure allows making more accurate predictions and avoiding overconfident errors, whereas adaptive learning contributes to increasing the generalization of the algorithm across students' profiles.

Reliability and Uncertainty Analysis

When it comes to psychological assessments of students, an accurate prediction plays a very important role because incorrect classifications can lead to inappropriate interventions. This way, the proposed framework evaluates not only the efficiency of classification algorithms, but also the prediction performance in terms of uncertainty-aware measurements. Both False Positive Rate (FPR) and False Negative Rate (FNR) are incorporated into the evaluation along with Prediction Confidence and Calibration Score. Lower FPR and FNR values indicate that the number of misclassifications is reduced, and greater confidence and calibration scores indicate more reliable probability estimates. The main goal of the Bayesian adjustment technique is to reduce uncertainty and improve confidence calibration.

Table 3: Reliability Evaluation of Student Psychological Assessment Models

Method	False Positive Rate (%)	False Negative Rate (%)	Prediction Confidence (%)	Calibration Score (%)
SVM	8.42	9.17	88.45	89.12
Random Forest	7.15	7.82	90.76	91.43
CNN	5.84	6.28	93.25	93.81
LSTM	4.71	5.12	94.84	95.36
Transformer	3.92	4.26	96.08	96.44
Proposed UABA	2.18	2.69	97.92	98.26




Fig. 2: Comparative Performance Analysis of the Proposed UABA Framework with Existing Models

From table 3 and fig. 2 it can be seen that the presented UABA framework produces the most favorable psychological evaluation results among all the methods under consideration. This framework features the lowest rates of False Positive (2.18%) and False Negative (2.69%) psychological classification, implying that fewer errors are made in the process. Furthermore, the model shows the highest prediction confidence (97.92%) and calibration score (98.26%), meaning that the predicted probability is highly consistent with the real one. Improvements have been achieved due to Bayesian uncertainty estimation, which allows evaluating the level of certainty of prediction and adjusting the model parameters in case of uncertainty at the time of prediction. Therefore, the proposed framework enables obtaining more trustworthy psychometric evaluation results, which can be used to make timely decisions.

Discussion

Experimental results prove that the Uncertainty-Aware Bayesian Adaptation framework proposed model can be successfully used to increase the reliability of students' psychological assessment in comparison with the traditional machine learning approach and deep learning algorithm. The use of the proposed framework allows one to achieve high classification accuracy as well as receive the confidence-aware prediction and, consequently, make a reliable decision. Comparative analysis shows that the UABA framework achieves 97.82% of accuracy, 97.56% of precision, 97.31% of recall, 97.43% of F1-score, and 98.11% of AUC, outperforming other approaches, such as SVM, Random Forest, CNN, LSTM, and Transformer models. These results prove that the inclusion of uncertainty modeling increases the capabilities of the framework to consider interrelationships of psychological, behavioral, and academic features and avoid wrong classification.

Another significant finding is that prediction accuracy is enhanced. The suggested model gets the least False Positive Rate (2.18%) and False Negative Rate (2.69%), the highest prediction accuracy (97.92%), and the highest calibration score (98.26%). It demonstrates the way in which the Bayesian method could be employed to decrease the number of incorrect predictions that occur because of their being “overconfident” and providing probability values that are almost accurate. Specifically, from the viewpoint of psychological testing, reliable predictions carry particular importance because the classification of an individual might be postponed or incorrect if such predictions are not accurate. Consequently, the scores of confidences in the suggested framework would be of much assistance to psychologists, counselors, and schools in determining whether a student requires additional testing.

There are several issues associated with the suggested framework, however, even though it has demonstrated such high performance. Specifically, an experiment has been conducted with the use of benchmark student psychological assessment data and, therefore, the model should be tested on larger dataset that is more diverse and obtained from different institutions to improve the generalization capacity of the model. What is more, the current approach takes into account only structured psychological assessment data and does not have capabilities for making use of other data, including data from social networks, wearable devices, and behavioral history of students. Future research may focus on exploring the flexibility of the Bayesian approach for online learning as well as using the technology of Explainable AI for better understanding of the algorithm operation. In summary, the suggested framework can be considered as a good and viable solution for handling uncertainty in student psychological assessments.

Conclusion and Future Work

In this paper, a novel approach referred to as Uncertainty-Aware Bayesian Adaptation (UABA) was presented as a solution for enhancing the reliability of students' psychological assessment using AI. The presented methodology incorporates data preprocessing along with uncertainty estimation, adaptive learning, and confidence aware classification for ensuring accurate and reliable psychological predictions. The UABA methodology calculates uncertainty in the prediction and updates the model parameters continuously using Bayesian adaptation, whereas the conventional machine learning model generates deterministic predictions. From the experimental results obtained, the UABA framework performs better than the other existing approaches where it generated 97.82%, 97.56%, 97.31%, 97.43%, and 98.11% accuracy, precision, recall, F1, and AUC respectively. Additionally, it produced False Positive Rate (FPR) 2.18%, False Negative Rate (FNR) 2.69%, Prediction Confidence (PC) 97.92%, and Calibration Score (CS) 98.26%. These experimental results confirm the high performance and robustness of the uncertainty-aware Bayesian learning in the domain of student psychological assessment. It can be concluded that the developed methodology can prove to be helpful for teachers and mental health professionals since it offers a reliable and confident prediction.

Future validation of this proposed model will come from much larger datasets that will be obtained from multiple educational institutes in the future. Further enhancements in the future models may include the use of multimodal data

from different kinds of sensors worn by the users, social media interactions, and speech and facial expressions to ensure the accuracy of the assessment. In addition, using the concepts of XAI, federated learning, and real-time Bayesian adaptation will help increase the transparency of the models, privacy and scalability.

References

- Wenyang, C., Tam, M. N., & Wenhe, L. (2025). Adaptive knowledge assessment via symmetric hierarchical Bayesian neural networks with graph symmetry-aware concept dependencies. *Symmetry*, 17(8), 1332. <https://doi.org/10.3390/sym17081332>
- Oyebamiji, B., Oyebamiji, T., Sodiya, T., Sanusi, R., Abdulsalami-Saghir, P. B., Okunade, J., ... & Akintobi, E. (2026). Use of Regression in Social Science Research: Beyond Linear Models. *FUDMA Journal of Agriculture and Agricultural Technology*, 12(2), 45-56. <https://doi.org/10.33003/jaat.2026.1202.06>
- Shen, J., You, L., Ma, Y., Zhao, Z., Liang, H., Zhang, Y., & Hu, B. (2025). UA-DAAN: An uncertainty-aware dynamic adversarial adaptation network for EEG-based depression recognition. *IEEE Transactions on Affective Computing*, 16(3), 2130-2141. <https://doi.org/10.1109/TAFFC.2025.3555433>
- Zhou, S. C., Zhou, Z., Tang, Q., Yu, P., Zou, H., Liu, Q., ... & Luo, D. (2024). Prediction of non-suicidal self-injury in adolescents at the family level using regression methods and machine learning. *Journal of affective disorders*, 352, 67-75. <https://doi.org/10.1016/j.jad.2024.02.039>
- Ye, J., Yu, Y., Wang, Q., Li, W., Liang, H., Zheng, Y., & Fu, G. (2021). Multi-modal depression detection based on emotional audio and evaluation text. *Journal of Affective Disorders*, 295, 904-913. <https://doi.org/10.1016/j.jad.2021.08.090>
- Teng, S., Chai, S., Liu, J., Tateyama, T., Lin, L., & Chen, Y. W. (2024, January). Multi-modal and multi-task depression detection with sentiment assistance. In *2024 IEEE International Conference on Consumer Electronics (ICCE)* (pp. 1-5). IEEE. <https://doi.org/10.1109/ICCE59016.2024.10444213>
- Raj, J. D., & Sathiyam, G. (2025). Enhancing life skill progression and psychological well-being of undergraduate students through AI-driven recommendation system. *Multidisciplinary Science Journal*, 7(2), 2025054. <https://doi.org/10.31893/multiscience.2025054>
- Ayón, C., Ellis, B. D., Hagan, M. J., Enriquez, L. E., & Offidani-Bertrand, C. (2024). Mental health help-seeking among Latina/o/x undocumented college students. *Cultural diversity & ethnic minority psychology*, 30(3), 434. <https://psycnet.apa.org/doi/10.1037/cdp0000573>
- Nepal, S., Liu, W., Pillai, A., Wang, W., Vojdanovski, V., Huckins, J. F., ... & Campbell, A. T. (2024). Capturing the college experience: a four-year mobile sensing study of mental health, resilience and behavior of college students during the pandemic. *Proceedings of the ACM on interactive, mobile, wearable and ubiquitous technologies*, 8(1), 1-37. <https://doi.org/10.1145/3643501>
- Hou, X. (2026). Early warning and intervention for college students' mental health status based on multimodal deep learning. *Discover Applied Sciences*, 8(6), 658. <https://doi.org/10.1007/s42452-026-08671-5>
- Goyal, S., Dutta, R., Dev, S., Raju, K. N., & Bhatt, M. W. (2025). MindLift: AI-powered mental health assessment for students. *Neuroscience Informatics*, 5(2), 100208. <https://doi.org/10.1016/j.neuri.2025.100208>
- Zhang, X., & Shi, W. (2025). An AI-driven framework integrating predictive modeling and intervention strategies to enhance psychological health education among college students. *Discover Applied Sciences*, 7(10), 1095. <https://doi.org/10.1007/s42452-025-07674-y>
- Drira, M., Ben Hassine, S., Zhang, M., & Smith, S. (2024). Machine learning methods in student mental health research: An ethics-centered systematic literature review. *Applied Sciences*, 14(24), 11738. <https://doi.org/10.3390/app142411738>
- Xiaohui, W., & Lianghui, C. (2025). Using the Bayesian Network Method to Evaluate the Effectiveness of College Students' Mental Health Intervention Strategies and Their Impact on Academic Performance. *Journal of Psychoeducational Assessment*, 07342829251393575. <https://doi.org/10.1177/07342829251393575>
- Menna, E., Gafar, M. G., & Elsabagh, M. A. (2026). A Multi-Objective and Uncertainty-Aware Holistic Swarm Optimized Random Forest for Robust Student Performance and Dropout Prediction. *Inventions*, 11(2), 20. <https://doi.org/10.3390/inventions11020020>
- Zhang, M., Di, Z., Liu, H., Jiang, F., Zhou, Y., & Gong, M. (2025). Uncertainty-aware Local Bayesian Framework for Hyperspectral Image Classification with Noisy Labels. *IEEE Transactions on Circuits and Systems for Video Technology*. <https://doi.org/10.1109/TCSVT.2025.3623389>

- Clemente, C. J. (2026, June). An Adaptive and Uncertainty-Aware Ensemble Learning Model for Predicting IT Graduates' GPA Using Socio-Economic, Academic, and Demographic Data. In *International Conference on Industrial, Engineering and Other Applications of Applied Intelligent Systems* (pp. 372-384). Singapore: Springer Nature Singapore. https://doi.org/10.1007/978-981-92-2888-1_30
- Lou, S., Mo, G., Zhang, X., Wang, H., Li, H., Ma, K., ... & Han, P. (2025). Uncertainty-aware and causal test-time adaptive foundation model for robust colorectal cancer pathology diagnosis. *NPJ Digital Medicine*, 8(1), 784. <https://doi.org/10.1038/s41746-025-02149-1>
- Wang, Y., Liu, Y., Bae, S. J., Wu, J., & Lei, Y. (2026). Hierarchical Bayesian Multimodal Learning for Probabilistic RUL Pre-diction: An Evidential Framework with Uncertainty-Calibrated Fusion. *IEEE Transactions on Reliability*, 75, 1291-1305. <https://doi.org/10.1109/TR.2026.3668558>